

CARBON ZINC BATTERIES

Panasonic carbon zinc batteries offer economy and peak performance and are built for professional applications.



Applications

- Clocks
- Communications Equipment
- Electronic Calculators
- Flashlights, Penlights
- Measuring Instruments
- Remote Controls
- Portable electronics







Carbon Zinc Batteries Specification Table

Model Number	Size	Type	Label Color	V	Diameter/Width Inch (mm)	Height Inch (mm)	Thickness	Avg./Wt. oz (g)
UM-4NPA	AAA	Super Heavy Duty	Blue	1.5	.413 (10.49)	1.752 (44.50)	---	0.34 (9.70)
UM-3NPA	AA	Super Heavy Duty	Blue	1.5	.571 (14.50)	1.988 (50.50)	---	0.67 (19.00)
UM-2NPA	C	Super Heavy Duty	Blue	1.5	1.031 (26.19)	1.969 (50.00)	---	1.82 (51.50)
UM-1NPA	D	Super Heavy Duty	Blue	1.5	1.339 (34.01)	2.421 (61.49)	---	3.53 (100.0)
R1NW	N	Extra Heavy Duty	Black	1.5	.472 (11.99)	1.189 (30.20)	---	0.23 (6.55)
6F22NW	9V	Extra Heavy Duty	Black	9	1.043 (26.49)	1.909 (48.49)	0.689 (17.50)	1.31 (38.00)

* Extra Heavy Duty and Super Heavy Duty are the same grade product. Super Heavy Duty is manufactured in Indonesia and Extra Heavy Duty is manufactured in Japan.

CARBON ZINC BATTERIES

DIMENSIONS / INCH (MM)

Model No.	Dimensions/inch (mm)		Dimensions/inch (mm)
Size "AAA" UM-4NPA	1. Nominal Voltage: 1.5 volts  Note: Drawing not to scale	Size "AA" UM-3NPA	1. Nominal Voltage: 1.5 volts  Note: Drawing not to scale
Size "C" UM-2NPA	1. Nominal Voltage: 1.5 volts  Note: Drawing not to scale	Size "D" UM-1NPA	1. Nominal Voltage: 1.5 volts  Note: Drawing not to scale
Size "N" R1NW	1. Nominal Voltage: 1.5 volts  Note: Drawing not to scale	Size "9V" 6F22NW	1. Nominal Voltage: 9.0 volts  Note: Drawing not to scale