


REVISION					
ZONE	LTR	ECN	DESCRIPTION	DATE	APPROVED
	A	38948	NEW RELEASE	5/12/99	<i>[Signature]</i>



NOTES: UNLESS OTHERWISE SPECIFIED

- CONNECTOR INTERFACE IAW MIL-C-83513 SIZE 100 METAL SHELL.
- DUAL POTTING: FIRST LAYER PROVIDES WIRE SUPPORT PRIOR TO BEND .040 MIN. ABOVE CRIMP BARREL. EPOXY USED IS 194-8102-6215/6225, COLOR BLACK.
- CRIMP LEADS INTO CONTACTS PER MEP 302-05.
- MARK CONNECTOR PER TIS.
- ANCHOR TIES REQUIRED.
- SOLDER DIP Sn-63 THE TB PINS(100) TO .020 MAX FROM THE HEADER PLATE.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCE ARE: FRACTIONS: ± 1/8 DECIMALS: .XX ± .01 .XXX ± .005 ANGLES: ± 2°	APPROVALS		<b>MICRODOT CONNECTORS</b> A DIVISION OF UNI-STAR INDUSTRIES INC. 306 PASADENA AVE., SO. PASADENA, CA 91030	PROD CODE 845 CODE CDM
	SIGNATURE	DATE		
	DRAWN	5/12/99		
	CHECKED			
MATERIAL:	PROL. ENG.		METAL SHELL 'D' CONN. WITH HEADER PINS .100 X .100 GRID PATTERN MCK-NI-B-100LX	SIZE CODE IDENT NO. DRAWING NO. B 98278 094-9905-0016
FINISH:	APPROVED			
THIS DOCUMENT IS THE PROPERTY OF MICRODOT CONNECTORS, A DIVISION OF UNI-STAR INDUSTRIES INC. USE OF THIS DOCUMENT OR ANY PART THEREOF IS STRICTLY FORBIDDEN WITHOUT THE EXPRESS WRITTEN PERMISSION OF MICRODOT CONNECTORS, A DIVISION OF UNI-STAR INDUSTRIES INC.				