

## VC-K-KV-PG16(11,5-15,5)

Order No.: 1854844

The illustration shows a version of the product

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1854844>

Half screw connection Pg16, made of plastic, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 11.5 - 15.5

### Commercial data

|                          |                    |
|--------------------------|--------------------|
| EAN                      | 4017918146054      |
| Pack                     | 5 Pcs.             |
| Customs tariff           | 39269097           |
| Weight/Piece             | 0.00637 KG         |
| Catalog page information | Page 304 (PC-2007) |

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General characteristics

|                                 |  |
|---------------------------------|--|
| Note                            | Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29 |
| Degree of protection            | IP67   |
| Type of the screw connection    | Half screw connection  |
| Seal material                   | TPE  |
| Ambient temperature (operation) | -40 °C ... 80 °C   |

## Certificates / Approvals

Approval logo



### requested approbations

|               |      |
|---------------|------|
| Certification | GOST |
|---------------|------|

## Accessories

| Item | Designation | Description |
|------|-------------|-------------|
|------|-------------|-------------|

### Assembly

|         |                |   |
|---------|----------------|---|
| 1885363 | VC-K-KV-PG21-O | Half screw connection made of plastic with rubber seal without hole or for individual holes |
|---------|----------------|---|

**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact  
Technical modifications reserved;