




THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PART NO.	MAX. BUNDLE DIA [mm]	LENGTH ±.1 [2]
MSC4W63T15-L6	4" [102]	18.0" [457]
MSC6W63T15-L6	6" [152]	24.4" [620]
MSC8W63T15-L6	8" [203]	30.7" [780]
MSC10W63T15-L6	10" [254]	37.0" [940]



NOTES:

1. APPLICATION TOOLS: BT2MS75, BT2HT
2. ALL DIMENSIONS IN BRACKETS [] ARE MILLIMETERS
3. BASE MATERIAL: 316 STAINLESS STEEL.
4. 100% COATED WITH BLACK NYLON OR POLYESTER.
5. COATING THICKNESS: .003/.005/.076/.127 IPER SIDE.
6. TOLERANCES (UNLESS OTHERWISE SPECIFIED):
 .X ± .03 [.8]
 .XX ± .02 [.5]
 .XXX ± .007 [.18]

N41169BS_DC/00A

								TINLEY PARK, ILLINOIS COATED METAL STRAPPING .625" [15.88] WIDE CUSTOMER DRAWING	
00A	10/08	JAMB	SKB	ORIG CAD FILE SPEC WAS S41169BS_00 NOTE 1: APPLICATION TOOL BT1HT REPLACED BY BT2HT					
00	10/03	BRHE	EJD	RELEASED					
REV	DATE	BY	CHK	DESCRIPTION	ECN #	PM	CUST	DRAWN BY BRH	CHK'D CH'D
								SCALE FULL	DRAWING NO. N41169BS_DC