







THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	REVISED (ECR-08-011573)	07MAY08	SC	WK



- NOTES:
- MATERIAL:
    - HOUSING: THERMOPLASTIC(PBT), UL94V-0; COLOR: SEE TABLE
    - COVER: THERMOPLASTIC(LCP), UL94V-0, COLOR: BLACK
    - CONTACTS AND SOLDER TAILS: CU-ALLOY.
    - SHIELD: SPCC.
  - FINISH:
    - CONTACTS NO.11/14/21/24 AND 5(GROUND): (SEE TABLE) THREE OPTIONAL ON CONTACT TOP PLATING LAYER
      - CA: 2.54um[100u"] MIN. BRIGHT TIN PLATING,
      - CB: GOLD FLASH PLATING,
      - CC: 0.76um[30u"] MIN. GOLD PLATING,
    - CONTACTS NO.1P/1Q/2P/2Q AND FRONT SHIELD: 2.54um[100u"] MIN. BRIGHT TIN PLATING ON OVERALL, 1.27um[50u"] MIN. NICKEL UNDERPLATED OVERALL.
    - BACK SHIELD:
      - 1.27um[50u"] MIN. NICKEL PLATING,
      - 1.27um[50u"] MIN. CU UNDERPLATED OVERALL.
  - RECOMMENDED PCB THICKNESS: 2.0mm
  - WAVE SOLDER CAPABLE TO 265°C PER TE SPEC. 109-202, CONDITION B.



LIME/577C	BLUE/284C	CA	4-	-1
LIME/577C	BLUE/284C	CB	2-	-1
GARY/422C	BLACK/426C	CC		-5
ORANGE/157C	LIME/577C			-4
BLUE/284C	PINK/701C			-3
PINK/701C	LIME/577C			-2
LIME/577C	BLUE/284C			1775390-1
JACK B	JACK A	CONTACT FINISH	PART NUMBER	
HOUSING COLOR				

RECOMMEND PCB LAYOUT <BOTTOM VIEW>  
 PCB TOLERANCE : ±0.05

BOARD LOCK:KINK TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CHIEN 07MAR2008	Tyco Electronics Corporation Taipei, Taiwan	
DIMENSIONS: MM		CHK K. KODAMA 07MAR2008	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD K. KODAMA 07MAR2008	PRODUCT SPEC	
0 PLC ± -		108-57516		
1 PLC ± 0.3		QUALIFICATION TEST REPORT		
2 PLC ± 0.2		501-57671		
3 PLC ± -		WEIGHT 10.0 GRAMS		
4 PLC ± -		CUSTOMER DRAWING		
ANGLES ± 3'		SIZE A3 CAGE CODE 00779 DRAWING NO C=1775390 RESTRICTED TO		
MATERIAL SEE NOTE		FINISH SEE NOTE		
		SCALE SHEET 1 of 3 REV B		

4

3

2




1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
DW		P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			



BOARD LOCK:STRAIGHT TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics Corporation Taipei, Taiwan													
DIMENSIONS: MM		CHK	NAME													
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	Ø3.5 AUDIO JACK, OPEN TYPE, 2 IN 1, ATX													
<table border="0"> <tr><td>0 PLC</td><td>± -</td></tr> <tr><td>1 PLC</td><td>± 0.3</td></tr> <tr><td>2 PLC</td><td>± 0.2</td></tr> <tr><td>3 PLC</td><td>± -</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> <tr><td>ANGLES</td><td>± 3'</td></tr> </table>		0 PLC	± -	1 PLC	± 0.3	2 PLC	± 0.2	3 PLC	± -	4 PLC	± -	ANGLES	± 3'	PRODUCT SPEC	SIZE	
0 PLC	± -															
1 PLC	± 0.3															
2 PLC	± 0.2															
3 PLC	± -															
4 PLC	± -															
ANGLES	± 3'															
MATERIAL		QUALIFICATION TEST REPORT	CAGE CODE	DRAWING NO												
SEE SHEET 1		FINISH	10.0 GRAMS	A3 00779 C-1775390												
SEE TABLE		RESTRICTED TO	SCALE													
			SHEET 2 OF 3													
			REV B													

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

---

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR


DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1



NOTES:

- 1. MATERIAL:
  - 1.1 TRAY: PVC
  - 1.2 INNER BOX: CORRUGATED FIBERBOARD
  - 1.3 SHIPPING CARTON: CORRUGATED FIBERBOARD
- 2. DIMENSION:
  - 2.1 TRAY: L=410, W=220, H=22
  - 2.2 INNER BOX: L=422, W=238, H=120
  - 2.3 SHIPPING CARTON: L=495, W=435, H=140
- 3. QUANTITY:
  - 3.1 PRIMARY PACKING: 100 PCS/TRAY
  - 3.2 SECONDARY PACKING: 5 TRAYS/INNER BOX(500PCS)
  - 3.2 THIRD PACKING: 2 INNER BOXS/CARTON(1000PCS)
- 4. CARTON WEIGHT:
  - 4.1 NET WEIGHT: 14 Kg
  - 4.2 GROSS WEIGHT: 15 Kg

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		Tyco Electronics Corporation Taipei, Taiwan	
DIMENSIONS: MM		CHK		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		ø3.5 AUDIO JACK, OPEN TYPE, 2 IN 1, ATX	
0 PLC ± -		PRODUCT SPEC		SIZE	
1 PLC ± -		QUALIFICATION TEST REPORT		CAGE CODE	
2 PLC ± -		WEIGHT		DRAWING NO	
3 PLC ± -		CUSTOMER DRAWING		RESTRICTED TO	
4 PLC ± -		SCALE		SHEET	
ANGLES ± -		—		3 of 3	
MATERIAL		FINISH		REV	
SEE NOTE		CUSTOMER DRAWING		B	
		A3 00779 C=1775390			