




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION DEC. 1996. ALL RIGHTS RESERVED. BY TYCO ELECTRONICS CORPORATION.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
D		REVISED	FJB0-0063-05	25JAN05	J.Z I.E



TOP OF REEL  
➔



WEEDING THE COVER TAPE AROUND THE OUTER PERIPHERY IN A TURN.  
165°~180° PEELING ANGLE.



INSTRUCTION SHEET	20.4	16.4	0.4	9.7	16	7.5	1500	20	2-353688-0	2-353689-0
411-5781	W <sub>2</sub>	W <sub>1</sub>	E	C	B	A	QTY/REEL	POS	TAPING P/N	TAPING P/N



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.KAJINUMA 05DEC96	Tyco Electronics AMP K.K. Kawasaki, Japan	
DIMENSIONS: MM		CHK K.ASAKAWA 05DEC96	ON TAPING (EMBOSS) 0.5mm PITCH FS CONN. TAB ASSEMBLY WITH KEY WITHOUT BOSS & POLYIMIDE FILM	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S.KUBOUCHI 27JAN97	NAME	
0 PLC ± 0.2		PRODUCT SPEC		
1 PLC ± 0.2		108-5546		
2 PLC ± 0.2		APPLICATION SPEC		
3 PLC ± 0.2		SIZE CAGE CODE DRAWING NO RESTRICTED TO		
4 PLC ± 0.2		A3 00779 C=353689		
ANGLES ± 3'		CUSTOMER DRAWING		
MATERIAL FINISH		SCALE 4:1 SHEET 1 OF 2 REV D		

LOC	DIST	REVISIONS		
J		P	LTR	DESCRIPTION
		-	-	SEE SHEET 1
				DATE
				DWN
				APVD



TOP OF REEL

WEEDING THE COVER TAPE AROUND THE OUTER PERIPHERY IN A TURN.  
 165°~180° PEELING ANGLE.



28.4	24.4	0.4	15.0	24	11.5	1500	40	4-353688-0	4-353689-0
28.4	24.4	0.4	12.5	24	11.5	1500	30	3-353688-0	3-353689-0
W2	W1	E	C	B	A	QTY/REEL	POS	TAPING P/N	TAPING P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN S.KAJINUMA 05DEC96	Tyco Electronics AMP K.K. Kawasaki, Japan
0 PLC ± 0.2 1 PLC ± 0.2 2 PLC ± 0.2 3 PLC ± 0.2 4 PLC ± 0.2 ANGLES ± 3°	FINISH	CHK K.ASAKAWA 05DEC96	
MATERIAL		APVD S.KUBOUCHI 27JAN97	NAME
		PRODUCT SPEC	ON TAPING (EMBOSS)
		APPLICATION SPEC	0.5mm PITCH FS CONN. TAB ASSEMBLY
		WEIGHT	WITH KEY WITHOUT BOSS & POLYIMIDE FILM
		CUSTOMER DRAWING	RESTRICTED TO

SIZE A3	CAGE CODE 00779	DRAWING NO. 353689
SCALE 4:1	SHEET 2 OF 2	REV D