


# 345/395 SERIES CARD EDGE CONNECTOR

.100" (2.54mm) Contact Spacing



## FEATURES


- CSA Approved and UL Recognized
- .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing
- Accepts .062 (1.57) Nominal Thickness P.C. Board
- High Profile Insulator Body, .600 (15.24)
- Contact Termination Options include P.C. Tail, Wire Hole, Wire Wrap, 90 Degree & Extender Board Bends
- Single or Dual Row Configurations
- Large Variety of Mounting Options, Flush or Offset Lugs
- Pre-assembled Card Guides Available
- Accepts Between Contact and In-Contact Polarizing Keys
- Automatic Wire Wrap Positioning Holes

## SPECIFICATIONS

- ◆ Insulator Material: Thermoplastic Polyester, UL 94V-0
- ◆ Contact Material: Copper, Nickel, Tin Alloy CA-725
- ◆ Contact Plating: Gold on the Mating Area, Tin on the Contact Tails, Nickel Underplate
- ◆ Current Rating: 3 Amperes Continuous
- ◆ Contact Resistance: 10 Milliohms Maximum
- ◆ Dielectric Withstanding Voltage: 1200 V AC rms at Sea Level Between Adjacent Contacts
- ◆ Insulation Resistance: 5000 Megohms Minimum
- ◆ Operating Temperature: -65 to +105 Degrees C
- ◆ Insertion Force: 16 oz (4.45 N) Maximum per Contact Pair when Tested with a .070 (1.78) Thick Gauge
- ◆ Withdrawal Force: 1 oz (0.28 N) Minimum per Contact Pair when Tested with a .054 (1.37) Thick Gauge

## 345/395 SERIES ORDERING CODE

Example Part Number **345 - 050 - 520 - 2 02**



| Series | Insulator Colour |
|--------|------------------|
| 345    | Green            |
| 395    | Black            |

| Total Number of Contacts <sup>1</sup> | Contact Rows |
|---------------------------------------|--------------|
| 005, 006,...072                       | Single Row   |
| 010, 012,...144                       | Dual Row     |

| Contact Code <sup>2,3</sup> | Description & Tail Size                 | Tail Length"G" |
|-----------------------------|---|----------------|
| 500                         | Wire Hole .050 x .025 (1.27 x 0.64)     | .260 (6.60)    |
| 520                         | P.C. Tail .030 x .018 (0.76 x 0.46)     | .175 (4.45)    |
| 521                         | P.C. Tail .025 Square (0.64 Square)     | .150 (3.81)    |
| 523                         | P.C. Tail .025 Square (0.64 Square)     | .390 (9.91)    |
| 524                         | P.C. Tail .018 Square (0.46 Square)     | .175 (4.45)    |
| 540                         | Wire Wrap .025 Square (0.64 Square)     | .560 (14.22)   |
| 541                         | Wire Wrap .025 Square (0.64 Square)     | .750 (19.05)   |
| 542                         | Wire Wrap .025 Square (0.64 Square)     | .645 (16.38)   |
| 544                         | Wire Wrap .050 x .025 (1.27 x 0.64)     | .750 (19.05)   |
| 555                         | Extender Board Bend (Code 500 Contacts) |                |
| 556                         | Extender Board Bend (Code 520 Contacts) |                |
| 558                         | 90 Degree Bend (Code 541 Contacts)      |                |
| 559                         | 90 Degree Bend (Code 541 Contacts)      |                |
| 560                         | Extender Board Bend (Code 523 Contacts) |                |

| Contact Rows and Insulator Style | Description                         |
|----------------------------------|-------------------------------------|
| 1                                | Single Row, Flush Mounting Lugs     |
| 2                                | Dual Row, Flush Mounting Lugs       |
| 4                                | Single Row, .110 (2.79) Offset Lugs |
| 5                                | Dual Row, .110 (2.79) Offset Lugs   |
| 6                                | Single Row, .170 (4.32) Offset Lugs |
| 8                                | Dual Row, .170 (4.32) Offset Lugs   |


| Mounting Options <sup>4,5</sup> | Description                            |
|---------------------------------|--|
| 01                              | No Mounting Lugs                       |
| 02                              | .128 (3.25) Dia. Mounting Holes        |
| 03                              | .116 (2.95) I.D. Floating Eyelets      |
| 04                              | .156 (3.96) Dia. Mounting Holes        |
| 07                              | M3-0.5 Metric Threaded Inserts         |
| 08                              | #4-40 Unified Threaded Inserts         |
| 12                              | .128 (3.25) Dia. Side Mounting Holes   |
| 58                              | .468 (11.89) Offset Card Guides        |
| 78                              | In-Line Card Guides 2.750 (69.85) Long |
| 88                              | In-Line Card Guides 1.250 (31.75) Long |

## Ordering Code Notes

- 1) All connector sizes up to 72 contacts single row / 144 contacts dual row are available upon request.
- 2) The 500 contact code is only available in the 345 series. Green polyphenylene sulphide insulator material will be supplied.
- 3) For details of the extender board and 90 degree bends, refer to page 66.
- 4) For lugless connectors, code 01 mounting, specify contact row codes 1 or 2.
- 5) For details of the mounting options, refer to page 68.


# CARD EDGE CONNECTOR SERIES 345/395

Contact Spacing .100" (2.54mm)




## SECTIONS THROUGH CONTACT POSITION


SINGLE ROW



DUAL ROW




EVEN NUMBERED SIDE OF CONNECTOR (2, 4, 6, 8...)




IN-CONTACT POLARIZING KEY

P/N 345-240-328




BETWEEN CONTACT POLARIZING KEY

P/N 345-240-318



CONNECTOR MOUNTING PATTERN



RECOMMENDED DAUGHTER BOARD


| NUMBER OF CONTACTS |      | "A"   |          | "B"   |          | "C"   |          | "D"   |          | "E"   |          |
|--------------------|------|-------|----------|-------|----------|-------|----------|-------|----------|-------|----------|
| Single             | Dual | Inch  | (mm)     | Inch  | (mm)     | Inch  | (mm)     | Inch  | (mm)     | Inch  | (mm)     |
| 5                  | 10   | 1.335 | (33.91)  | 1.075 | (27.31)  | .760  | (19.30)  | .600  | (15.24)  | .400  | (10.16)  |
| 10                 | 20   | 1.835 | (46.61)  | 1.575 | (40.01)  | 1.260 | (32.00)  | 1.100 | (27.94)  | .900  | (22.86)  |
| 13                 | 26   | 2.135 | (54.23)  | 1.875 | (47.63)  | 1.560 | (39.62)  | 1.400 | (35.56)  | 1.200 | (30.48)  |
| 15                 | 30   | 2.335 | (59.31)  | 2.075 | (52.71)  | 1.760 | (44.70)  | 1.600 | (40.64)  | 1.400 | (35.56)  |
| 18                 | 36   | 2.635 | (66.93)  | 2.375 | (60.33)  | 2.060 | (52.32)  | 1.900 | (48.26)  | 1.700 | (43.18)  |
| 22                 | 44   | 3.035 | (77.09)  | 2.775 | (70.49)  | 2.460 | (62.48)  | 2.300 | (58.42)  | 2.100 | (53.34)  |
| 25                 | 50   | 3.335 | (84.71)  | 3.075 | (78.11)  | 2.760 | (70.10)  | 2.600 | (66.04)  | 2.400 | (60.96)  |
| 30                 | 60   | 3.835 | (97.41)  | 3.575 | (90.81)  | 3.260 | (82.80)  | 3.100 | (78.74)  | 2.900 | (73.66)  |
| 31                 | 62   | 3.935 | (99.95)  | 3.675 | (93.35)  | 3.360 | (85.34)  | 3.200 | (81.28)  | 3.000 | (76.20)  |
| 36                 | 72   | 4.435 | (112.65) | 4.175 | (106.05) | 3.860 | (98.04)  | 3.700 | (93.98)  | 3.500 | (88.90)  |
| 43                 | 86   | 5.135 | (130.43) | 4.875 | (123.83) | 4.560 | (115.82) | 4.400 | (111.76) | 4.200 | (106.68) |
| 50                 | 100  | 5.835 | (148.21) | 5.575 | (141.61) | 5.260 | (133.60) | 5.100 | (129.54) | 4.900 | (124.46) |
| 60                 | 120  | 6.835 | (173.61) | 6.575 | (167.01) | 6.260 | (159.00) | 6.100 | (154.94) | 5.900 | (149.86) |
| 72                 | 144  | 8.035 | (204.09) | 7.775 | (197.49) | 7.460 | (189.48) | 7.300 | (185.42) | 7.100 | (180.34) |

Dimensions of Other Connector Sizes are Listed on Page 72

# .100" (2.54mm) CONTACT SPACING CONNECTOR DIMENSIONS

325, 340, 341, 342, 345, 391, 392, 395, 745 Series Card Edge Connectors


| DIMENSION                            |                | "A"            |                |                |                |                | "B"            |                      |                |  |  |
|--------------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------------|----------------|--|--|
| SERIES                               | 325            | 340            | 341, 391       | 342, 392       | 345, 395       | 325            | 340            | 341, 391<br>345, 395 | 342, 392       |  |  |
| Number of<br>Contacts<br>Single Dual | Inch (mm)      | Inch (mm)      | Inch (mm)      | Inch (mm)      | Inch (mm)      | Inch (mm)      | Inch (mm)      | Inch (mm)            | Inch (mm)      |  |  |
| 5 10                                 | 1.355 (34.42)  | 1.900 (48.26)  | 1.375 (34.93)  | 1.300 (33.02)  | 1.335 (33.91)  | 1.056 (26.82)  | 1.400 (35.56)  | 1.075 (27.31)        | 1.022 (25.96)  |  |  |
| 6 12                                 | 1.455 (36.96)  | 2.000 (50.80)  | 1.475 (37.47)  | 1.400 (35.56)  | 1.435 (36.45)  | 1.156 (29.36)  | 1.500 (38.10)  | 1.175 (29.85)        | 1.122 (28.50)  |  |  |
| 7 14                                 | 1.555 (39.50)  | 2.100 (53.34)  | 1.575 (40.01)  | 1.500 (38.10)  | 1.535 (38.99)  | 1.256 (31.90)  | 1.600 (40.64)  | 1.275 (32.39)        | 1.222 (31.04)  |  |  |
| 8 16                                 | 1.655 (42.04)  | 2.200 (55.88)  | 1.675 (42.55)  | 1.600 (40.64)  | 1.635 (41.53)  | 1.356 (34.44)  | 1.700 (43.18)  | 1.375 (34.93)        | 1.322 (33.58)  |  |  |
| 9 18                                 | 1.755 (44.58)  | 2.300 (58.42)  | 1.775 (45.09)  | 1.700 (43.18)  | 1.735 (44.07)  | 1.456 (36.98)  | 1.800 (45.72)  | 1.475 (37.47)        | 1.422 (36.12)  |  |  |
| 10 20                                | 1.855 (47.12)  | 2.400 (60.96)  | 1.875 (47.63)  | 1.800 (45.72)  | 1.835 (46.61)  | 1.556 (39.52)  | 1.900 (48.26)  | 1.575 (40.01)        | 1.522 (38.66)  |  |  |
| 11 22                                | 1.955 (49.66)  | 2.500 (63.50)  | 1.975 (50.17)  | 1.900 (48.26)  | 1.935 (49.15)  | 1.656 (42.06)  | 2.000 (50.80)  | 1.675 (42.55)        | 1.622 (41.20)  |  |  |
| 12 24                                | 2.055 (52.20)  | 2.600 (66.04)  | 2.075 (52.71)  | 2.000 (50.80)  | 2.035 (51.69)  | 1.756 (44.60)  | 2.100 (53.34)  | 1.775 (45.09)        | 1.722 (43.74)  |  |  |
| 13 26                                | 2.155 (54.74)  | 2.700 (68.58)  | 2.175 (55.25)  | 2.100 (53.34)  | 2.135 (54.23)  | 1.856 (47.14)  | 2.200 (55.88)  | 1.875 (47.63)        | 1.822 (46.28)  |  |  |
| 14 28                                | 2.255 (57.28)  | 2.800 (71.12)  | 2.275 (57.79)  | 2.200 (55.88)  | 2.235 (56.77)  | 1.956 (49.68)  | 2.300 (58.42)  | 1.975 (50.17)        | 1.922 (48.82)  |  |  |
| 15 30                                | 2.355 (59.82)  | 2.900 (73.66)  | 2.375 (60.33)  | 2.300 (58.42)  | 2.335 (59.31)  | 2.056 (52.22)  | 2.400 (60.96)  | 2.075 (52.71)        | 2.022 (51.36)  |  |  |
| 16 32                                | 2.455 (62.36)  | 3.000 (76.20)  | 2.475 (62.87)  | 2.400 (60.96)  | 2.435 (61.85)  | 2.156 (54.76)  | 2.500 (63.50)  | 2.175 (55.25)        | 2.122 (53.90)  |  |  |
| 17 34                                | 2.555 (64.90)  | 3.100 (78.74)  | 2.575 (65.41)  | 2.500 (63.50)  | 2.535 (64.39)  | 2.256 (57.30)  | 2.600 (66.04)  | 2.275 (57.79)        | 2.222 (56.44)  |  |  |
| 18 36                                | 2.655 (67.44)  | 3.200 (81.28)  | 2.675 (67.95)  | 2.600 (66.04)  | 2.635 (66.93)  | 2.356 (59.84)  | 2.700 (68.58)  | 2.375 (60.33)        | 2.322 (58.98)  |  |  |
| 19 38                                | 2.755 (69.98)  | 3.300 (83.82)  | 2.775 (70.49)  | 2.700 (68.58)  | 2.735 (69.47)  | 2.456 (62.38)  | 2.800 (71.12)  | 2.475 (62.87)        | 2.422 (61.52)  |  |  |
| 20 40                                | 2.855 (72.52)  | 3.400 (86.36)  | 2.875 (73.03)  | 2.800 (71.12)  | 2.835 (72.01)  | 2.556 (64.92)  | 2.900 (73.66)  | 2.575 (65.41)        | 2.522 (64.06)  |  |  |
| 21 42                                | 2.955 (75.06)  | 3.500 (88.90)  | 2.975 (75.57)  | 2.900 (73.66)  | 2.935 (74.55)  | 2.656 (67.46)  | 3.000 (76.20)  | 2.675 (67.95)        | 2.622 (66.60)  |  |  |
| 22 44                                | 3.055 (77.60)  | 3.600 (91.44)  | 3.075 (78.11)  | 3.000 (76.20)  | 3.035 (77.09)  | 2.756 (70.00)  | 3.100 (78.74)  | 2.775 (70.49)        | 2.722 (69.14)  |  |  |
| 23 46                                | 3.155 (80.14)  | 3.700 (93.98)  | 3.175 (80.65)  | 3.100 (78.74)  | 3.135 (79.63)  | 2.856 (72.54)  | 3.200 (81.28)  | 2.875 (73.03)        | 2.822 (71.68)  |  |  |
| 24 48                                | 3.255 (82.68)  | 3.800 (96.52)  | 3.275 (83.19)  | 3.200 (81.28)  | 3.235 (82.17)  | 2.956 (75.08)  | 3.300 (83.82)  | 2.975 (75.57)        | 2.922 (74.22)  |  |  |
| 25 50                                | 3.355 (85.22)  | 3.900 (99.06)  | 3.375 (85.73)  | 3.300 (83.82)  | 3.335 (84.71)  | 3.056 (77.62)  | 3.400 (86.36)  | 3.075 (78.11)        | 3.022 (76.76)  |  |  |
| 26 52                                | 3.455 (87.76)  | 4.000 (101.60) | 3.475 (88.27)  | 3.400 (86.36)  | 3.435 (87.25)  | 3.156 (80.16)  | 3.500 (88.90)  | 3.175 (80.65)        | 3.122 (79.30)  |  |  |
| 27 54                                | 3.555 (90.30)  | 4.100 (104.14) | 3.575 (90.81)  | 3.500 (88.90)  | 3.535 (89.79)  | 3.256 (82.70)  | 3.600 (91.44)  | 3.275 (83.19)        | 3.222 (81.84)  |  |  |
| 28 56                                | 3.655 (92.84)  | 4.200 (106.68) | 3.675 (93.35)  | 3.600 (91.44)  | 3.635 (92.33)  | 3.356 (85.24)  | 3.700 (93.98)  | 3.375 (85.73)        | 3.322 (84.38)  |  |  |
| 29 58                                | 3.755 (95.38)  | 4.300 (109.22) | 3.775 (95.89)  | 3.700 (93.98)  | 3.735 (94.87)  | 3.456 (87.78)  | 3.800 (96.52)  | 3.475 (88.27)        | 3.422 (86.92)  |  |  |
| 30 60                                | 3.855 (97.92)  | 4.400 (111.76) | 3.875 (98.43)  | 3.800 (96.52)  | 3.835 (97.41)  | 3.556 (90.32)  | 3.900 (99.06)  | 3.575 (90.81)        | 3.522 (89.46)  |  |  |
| 31 62                                | 3.955 (100.46) | 4.500 (114.30) | 3.975 (100.97) | 3.900 (99.06)  | 3.935 (99.95)  | 3.656 (92.86)  | 4.000 (101.60) | 3.675 (93.35)        | 3.622 (92.00)  |  |  |
| 32 64                                | 4.055 (103.00) | 4.600 (116.84) | 4.075 (103.51) | 4.000 (101.60) | 4.035 (102.49) | 3.756 (95.40)  | 4.100 (104.14) | 3.775 (95.89)        | 3.722 (94.54)  |  |  |
| 33 66                                | 4.155 (105.54) | 4.700 (119.38) | 4.175 (106.05) | 4.100 (104.14) | 4.135 (105.03) | 3.856 (97.94)  | 4.200 (106.68) | 3.875 (98.43)        | 3.822 (97.08)  |  |  |
| 34 68                                | 4.255 (108.08) | 4.800 (121.92) | 4.275 (108.59) | 4.200 (106.68) | 4.235 (107.57) | 3.956 (100.48) | 4.300 (109.22) | 3.975 (100.97)       | 3.922 (99.62)  |  |  |
| 35 70                                | 4.355 (110.62) | 4.900 (124.46) | 4.375 (111.13) | 4.300 (109.22) | 4.335 (110.11) | 4.056 (103.02) | 4.400 (111.76) | 4.075 (103.51)       | 4.022 (102.16) |  |  |
| 36 72                                | 4.455 (113.16) | 5.000 (127.00) | 4.475 (113.67) | 4.400 (111.76) | 4.435 (112.65) | 4.156 (105.56) | 4.500 (114.30) | 4.175 (106.05)       | 4.122 (104.70) |  |  |
| 37 74                                | 4.555 (115.70) | 5.100 (129.54) | 4.575 (116.21) | 4.500 (114.30) | 4.535 (115.19) | 4.256 (108.10) | 4.600 (116.84) | 4.275 (108.59)       | 4.222 (107.24) |  |  |
| 38 76                                | 4.655 (118.24) | 5.200 (132.08) | 4.675 (118.75) | 4.600 (116.84) | 4.635 (117.73) | 4.356 (110.64) | 4.700 (119.38) | 4.375 (111.13)       | 4.322 (109.78) |  |  |
| 39 78                                | 4.755 (120.78) | 5.300 (134.62) | 4.775 (121.29) | 4.700 (119.38) | 4.735 (120.27) | 4.456 (113.18) | 4.800 (121.92) | 4.475 (113.67)       | 4.422 (112.32) |  |  |
| 40 80                                | 4.855 (123.32) | 5.400 (137.16) | 4.875 (123.83) | 4.800 (121.92) | 4.835 (122.81) | 4.556 (115.72) | 4.900 (124.46) | 4.575 (116.21)       | 4.522 (114.86) |  |  |
| 41 82                                | 4.955 (125.86) | 5.500 (139.70) | 4.975 (126.37) | 4.900 (124.46) | 4.935 (125.35) | 4.656 (118.26) | 5.000 (127.00) | 4.675 (118.75)       | 4.622 (117.40) |  |  |
| 42 84                                | 5.055 (128.40) | 5.600 (142.24) | 5.075 (128.91) | 5.000 (127.00) | 5.035 (127.89) | 4.756 (120.80) | 5.100 (129.54) | 4.775 (121.29)       | 4.722 (119.94) |  |  |
| 43 86                                | 5.155 (130.94) | 5.700 (144.78) | 5.175 (131.45) | 5.100 (129.54) | 5.135 (130.43) | 4.856 (123.34) | 5.200 (132.08) | 4.875 (123.83)       | 4.822 (122.48) |  |  |
| 44 88                                | 5.255 (133.48) | 5.800 (147.32) | 5.275 (133.99) | 5.200 (132.08) | 5.235 (132.97) | 4.956 (125.88) | 5.300 (134.62) | 4.975 (126.37)       | 4.922 (125.02) |  |  |
| 45 90                                | 5.355 (136.02) | 5.900 (149.86) | 5.375 (136.53) | 5.300 (134.62) | 5.335 (135.51) | 5.056 (128.42) | 5.400 (137.16) | 5.075 (128.91)       | 5.022 (127.56) |  |  |
| 46 92                                | 5.455 (138.56) | 6.000 (152.40) | 5.475 (139.07) | 5.400 (137.16) | 5.435 (138.05) | 5.156 (130.96) | 5.500 (139.70) | 5.175 (131.45)       | 5.122 (130.10) |  |  |
| 47 94                                | 5.555 (141.10) | 6.100 (154.94) | 5.575 (141.61) | 5.500 (139.70) | 5.535 (140.59) | 5.256 (133.50) | 5.600 (142.24) | 5.275 (133.99)       | 5.222 (132.64) |  |  |
| 48 96                                | 5.655 (143.64) | 6.200 (157.48) | 5.675 (144.15) | 5.600 (142.24) | 5.635 (143.13) | 5.356 (136.04) | 5.700 (144.78) | 5.375 (136.53)       | 5.322 (135.18) |  |  |
| 49 98                                | 5.755 (146.18) | 6.300 (160.02) | 5.775 (146.69) | 5.700 (144.78) | 5.735 (145.67) | 5.456 (138.58) | 5.800 (147.32) | 5.475 (139.07)       | 5.422 (137.72) |  |  |
| 50 100                               | 5.855 (148.72) | 6.400 (162.56) | 5.875 (149.23) | 5.800 (147.32) | 5.835 (148.21) | 5.556 (141.12) | 5.900 (149.86) | 5.575 (141.61)       | 5.522 (140.26) |  |  |
| 51 102                               | 5.955 (151.26) | 6.500 (165.10) | 5.975 (151.77) | 5.900 (149.86) | 5.935 (150.75) | 5.656 (143.66) | 6.000 (152.40) | 5.675 (144.15)       | 5.622 (142.80) |  |  |
| 52 104                               | 6.055 (153.80) | 6.600 (167.64) | 6.075 (154.31) | 6.000 (152.40) | 6.035 (153.29) | 5.756 (146.20) | 6.100 (154.94) | 5.775 (146.69)       | 5.722 (145.34) |  |  |
| 53 106                               | 6.155 (156.34) | 6.700 (170.18) | 6.175 (156.85) | 6.100 (154.94) | 6.135 (155.83) | 5.856 (148.74) | 6.200 (157.48) | 5.875 (149.23)       | 5.822 (147.88) |  |  |
| 54 108                               | 6.255 (158.88) | 6.800 (172.72) | 6.275 (159.39) | 6.200 (157.48) | 6.235 (158.37) | 5.956 (151.28) | 6.300 (160.02) | 5.975 (151.77)       | 5.922 (150.42) |  |  |
| 55 110                               | 6.355 (161.42) | 6.900 (175.26) | 6.375 (161.93) | 6.300 (160.02) | 6.335 (160.91) | 6.056 (153.82) | 6.400 (162.56) | 6.075 (154.31)       | 6.022 (152.96) |  |  |
| 56 112                               | 6.455 (163.96) | 7.000 (177.80) | 6.475 (164.47) | 6.400 (162.56) | 6.435 (163.45) | 6.156 (156.36) | 6.500 (165.10) | 6.175 (156.85)       | 6.122 (155.50) |  |  |
| 57 114                               | 6.555 (166.50) | 7.100 (180.34) | 6.575 (167.01) | 6.500 (165.10) | 6.535 (165.99) | 6.256 (158.90) | 6.600 (167.64) | 6.275 (159.39)       | 6.222 (158.04) |  |  |
| 58 116                               | 6.655 (169.04) | 7.200 (182.88) | 6.675 (169.55) | 6.600 (167.64) | 6.635 (168.53) | 6.356 (161.44) | 6.700 (170.18) | 6.375 (161.93)       | 6.322 (160.58) |  |  |
| 59 118                               | 6.755 (171.58) | 7.300 (185.42) | 6.775 (172.09) |                | 6.735 (171.07) | 6.456 (163.98) | 6.800 (172.72) | 6.475 (164.47)       |                |  |  |
| 60 120                               | 6.855 (174.12) | 7.400 (187.96) | 6.875 (174.63) |                | 6.835 (173.61) | 6.556 (166.52) | 6.900 (175.26) | 6.575 (167.01)       |                |  |  |
| 61 122                               | 6.955 (176.66) |                |                |                | 6.935 (176.15) | 6.656 (169.06) |                | 6.675 (169.55)       |                |  |  |
| 62 124                               |                |                |                |                | 7.035 (178.69) |                |                | 6.775 (172.09)       |                |  |  |
| 63 126                               |                |                |                |                | 7.135 (181.23) |                |                | 6.875 (174.63)       |                |  |  |
| 64 128                               |                |                |                |                | 7.235 (183.77) |                |                | 6.975 (177.17)       |                |  |  |
| 65 130                               |                |                |                |                | 7.335 (186.31) |                |                | 7.075 (179.71)       |                |  |  |
| 66 132                               |                |                |                |                | 7.435 (188.85) |                |                | 7.175 (182.25)       |                |  |  |
| 67 134                               |                |                |                |                | 7.535 (191.39) |                |                | 7.275 (184.79)       |                |  |  |
| 68 136                               |                |                |                |                | 7.635 (193.93) |                |                | 7.375 (187.33)       |                |  |  |
| 69 138                               |                |                |                |                | 7.735 (196.47) |                |                | 7.475 (189.87)       |                |  |  |
| 70 140                               |                |                |                |                | 7.835 (199.01) |                |                | 7.575 (192.41)       |                |  |  |
| 71 142                               |                |                |                |                | 7.935 (201.55) |                |                | 7.675 (194.95)       |                |  |  |
| 72 144                               |                |                |                |                | 8.035 (204.09) |                |                | 7.775 (197.49)       |                |  |  |
| 73 146                               |                |                |                |                |                |                |                |                      |                |  |  |
| 74 148                               |                |                |                |                |                |                |                |                      |                |  |  |
| 75 150                               |                |                |                |                |                |                |                |                      |                |  |  |



# CONNECTOR DIMENSIONS CONTACT SPACING .100" (2.54mm)

Card Edge Connector Series 325, 340, 341, 342, 345, 391, 392, 395, 745

| DIMENSION             |                | "C"            |                |                |                 | "D"            |                   | "E"            |  |
|-----------------------|----------------|----------------|----------------|----------------|-----------------|----------------|-------------------|----------------|--|
| SERIES                | 325            | 340            | 341, 391       | 342, 392       | 345, 395<br>745 | 340            | REST OF<br>SERIES | ALL<br>SERIES  |  |
| Number of<br>Contacts | Inch (mm)      | Inch (mm)      | Inch (mm)      | Inch (mm)      | Inch (mm)       | Inch (mm)      | Inch (mm)         | Inch (mm)      |  |
| Single Dual           |                |                |                |                |                 |                |                   |                |  |
| 5 10                  | .722 (18.34)   | .965 (24.51)   | .775 (19.69)   | .746 (18.95)   | .760 (19.30)    | .610 (15.49)   | .600 (15.24)      | .400 (10.16)   |  |
| 6 12                  | .822 (20.88)   | 1.065 (27.05)  | .875 (22.23)   | .846 (21.49)   | .860 (21.84)    | .710 (18.03)   | .700 (17.78)      | .500 (12.70)   |  |
| 7 14                  | .922 (23.42)   | 1.165 (29.59)  | .975 (24.77)   | .946 (24.03)   | .960 (24.38)    | .810 (20.57)   | .800 (20.32)      | .600 (15.24)   |  |
| 8 16                  | 1.022 (25.96)  | 1.265 (32.13)  | 1.075 (27.31)  | 1.046 (26.57)  | 1.060 (26.92)   | .910 (23.11)   | .900 (22.86)      | .700 (17.78)   |  |
| 9 18                  | 1.122 (28.50)  | 1.365 (34.67)  | 1.175 (29.85)  | 1.146 (29.11)  | 1.160 (29.46)   | 1.010 (25.65)  | 1.000 (25.40)     | .800 (20.32)   |  |
| 10 20                 | 1.222 (31.04)  | 1.465 (37.21)  | 1.275 (32.39)  | 1.246 (31.65)  | 1.260 (32.00)   | 1.110 (28.19)  | 1.100 (27.94)     | .900 (22.86)   |  |
| 11 22                 | 1.322 (33.58)  | 1.565 (39.75)  | 1.375 (34.93)  | 1.346 (34.19)  | 1.360 (34.54)   | 1.210 (30.73)  | 1.200 (30.48)     | 1.000 (25.40)  |  |
| 12 24                 | 1.422 (36.12)  | 1.665 (42.29)  | 1.475 (37.47)  | 1.446 (36.73)  | 1.460 (37.08)   | 1.310 (33.27)  | 1.300 (33.02)     | 1.100 (27.94)  |  |
| 13 26                 | 1.522 (38.66)  | 1.765 (44.83)  | 1.575 (40.01)  | 1.546 (39.27)  | 1.560 (39.62)   | 1.410 (35.81)  | 1.400 (35.56)     | 1.200 (30.48)  |  |
| 14 28                 | 1.622 (41.20)  | 1.865 (47.37)  | 1.675 (42.55)  | 1.646 (41.81)  | 1.660 (42.16)   | 1.510 (38.35)  | 1.500 (38.10)     | 1.300 (33.02)  |  |
| 15 30                 | 1.722 (43.74)  | 1.965 (49.91)  | 1.775 (45.09)  | 1.746 (44.35)  | 1.760 (44.70)   | 1.610 (40.89)  | 1.600 (40.64)     | 1.400 (35.56)  |  |
| 16 32                 | 1.822 (46.28)  | 2.065 (52.45)  | 1.875 (47.63)  | 1.846 (46.89)  | 1.860 (47.24)   | 1.710 (43.43)  | 1.700 (43.18)     | 1.500 (38.10)  |  |
| 17 34                 | 1.922 (48.82)  | 2.165 (54.99)  | 1.975 (50.17)  | 1.946 (49.43)  | 1.960 (49.78)   | 1.810 (45.97)  | 1.800 (45.72)     | 1.600 (40.64)  |  |
| 18 36                 | 2.022 (51.36)  | 2.265 (57.53)  | 2.075 (52.71)  | 2.046 (51.97)  | 2.060 (52.32)   | 1.910 (48.51)  | 1.900 (48.26)     | 1.700 (43.18)  |  |
| 19 38                 | 2.122 (53.90)  | 2.365 (60.07)  | 2.175 (55.25)  | 2.146 (54.51)  | 2.160 (54.86)   | 2.010 (51.05)  | 2.000 (50.80)     | 1.800 (45.72)  |  |
| 20 40                 | 2.222 (56.44)  | 2.465 (62.61)  | 2.275 (57.79)  | 2.246 (57.05)  | 2.260 (57.40)   | 2.110 (53.59)  | 2.100 (53.34)     | 1.900 (48.26)  |  |
| 21 42                 | 2.322 (58.98)  | 2.565 (65.15)  | 2.375 (60.33)  | 2.346 (59.59)  | 2.360 (59.94)   | 2.210 (56.13)  | 2.200 (55.88)     | 2.000 (50.80)  |  |
| 22 44                 | 2.422 (61.52)  | 2.665 (67.69)  | 2.475 (62.87)  | 2.446 (62.13)  | 2.460 (62.48)   | 2.310 (58.67)  | 2.300 (58.42)     | 2.100 (53.34)  |  |
| 23 46                 | 2.522 (64.06)  | 2.765 (70.23)  | 2.575 (65.41)  | 2.546 (64.67)  | 2.560 (65.02)   | 2.410 (61.21)  | 2.400 (60.96)     | 2.200 (55.88)  |  |
| 24 48                 | 2.622 (66.60)  | 2.865 (72.77)  | 2.675 (67.95)  | 2.646 (67.21)  | 2.660 (67.56)   | 2.510 (63.75)  | 2.500 (63.50)     | 2.300 (58.42)  |  |
| 25 50                 | 2.722 (69.14)  | 2.965 (75.31)  | 2.775 (70.49)  | 2.746 (69.75)  | 2.760 (70.10)   | 2.610 (66.29)  | 2.600 (66.04)     | 2.400 (60.96)  |  |
| 26 52                 | 2.822 (71.68)  | 3.065 (77.85)  | 2.875 (73.03)  | 2.846 (72.29)  | 2.860 (72.64)   | 2.710 (68.83)  | 2.700 (68.58)     | 2.500 (63.50)  |  |
| 27 54                 | 2.922 (74.22)  | 3.165 (80.39)  | 2.975 (75.57)  | 2.946 (74.83)  | 2.960 (75.18)   | 2.810 (71.37)  | 2.800 (71.12)     | 2.600 (66.04)  |  |
| 28 56                 | 3.022 (76.76)  | 3.265 (82.93)  | 3.075 (78.11)  | 3.046 (77.37)  | 3.060 (77.72)   | 2.910 (73.91)  | 2.900 (73.66)     | 2.700 (68.58)  |  |
| 29 58                 | 3.122 (79.30)  | 3.365 (85.47)  | 3.175 (80.65)  | 3.146 (79.91)  | 3.160 (80.26)   | 3.010 (76.45)  | 3.000 (76.20)     | 2.800 (71.12)  |  |
| 30 60                 | 3.222 (81.84)  | 3.465 (88.01)  | 3.275 (83.19)  | 3.246 (82.45)  | 3.260 (82.80)   | 3.110 (78.99)  | 3.100 (78.74)     | 2.900 (73.66)  |  |
| 31 62                 | 3.322 (84.38)  | 3.565 (90.55)  | 3.375 (85.73)  | 3.346 (84.99)  | 3.360 (85.34)   | 3.210 (81.53)  | 3.200 (81.28)     | 3.000 (76.20)  |  |
| 32 64                 | 3.422 (86.92)  | 3.665 (93.09)  | 3.475 (88.27)  | 3.446 (87.53)  | 3.460 (87.88)   | 3.310 (84.07)  | 3.300 (83.82)     | 3.100 (78.74)  |  |
| 33 66                 | 3.522 (89.46)  | 3.765 (95.63)  | 3.575 (90.81)  | 3.546 (90.07)  | 3.560 (90.42)   | 3.410 (86.61)  | 3.400 (86.36)     | 3.200 (81.28)  |  |
| 34 68                 | 3.622 (92.00)  | 3.865 (98.17)  | 3.675 (93.35)  | 3.646 (92.61)  | 3.660 (92.96)   | 3.510 (89.15)  | 3.500 (88.90)     | 3.300 (83.82)  |  |
| 35 70                 | 3.722 (94.54)  | 3.965 (100.71) | 3.775 (95.89)  | 3.746 (95.15)  | 3.760 (95.50)   | 3.610 (91.69)  | 3.600 (91.44)     | 3.400 (86.36)  |  |
| 36 72                 | 3.822 (97.08)  | 4.065 (103.25) | 3.875 (98.43)  | 3.846 (97.69)  | 3.860 (98.04)   | 3.710 (94.23)  | 3.700 (93.98)     | 3.500 (88.90)  |  |
| 37 74                 | 3.922 (99.62)  | 4.165 (105.79) | 3.975 (100.97) | 3.946 (100.23) | 3.960 (100.58)  | 3.810 (96.77)  | 3.800 (96.52)     | 3.600 (91.44)  |  |
| 38 76                 | 4.022 (102.16) | 4.265 (108.33) | 4.075 (103.51) | 4.046 (102.77) | 4.060 (103.12)  | 3.910 (99.31)  | 3.900 (99.06)     | 3.700 (93.98)  |  |
| 39 78                 | 4.122 (104.70) | 4.365 (110.87) | 4.175 (106.05) | 4.146 (105.31) | 4.160 (105.66)  | 4.010 (101.85) | 4.000 (101.60)    | 3.800 (96.52)  |  |
| 40 80                 | 4.222 (107.24) | 4.465 (113.41) | 4.275 (108.59) | 4.246 (107.85) | 4.260 (108.20)  | 4.110 (104.39) | 4.100 (104.14)    | 3.900 (99.06)  |  |
| 41 82                 | 4.322 (109.78) | 4.565 (115.95) | 4.375 (111.13) | 4.346 (110.39) | 4.360 (110.74)  | 4.210 (106.93) | 4.200 (106.68)    | 4.000 (101.60) |  |
| 42 84                 | 4.422 (112.32) | 4.665 (118.49) | 4.475 (113.67) | 4.446 (112.93) | 4.460 (113.28)  | 4.310 (109.47) | 4.300 (109.22)    | 4.100 (104.14) |  |
| 43 86                 | 4.522 (114.86) | 4.765 (121.03) | 4.575 (116.21) | 4.546 (115.47) | 4.560 (115.82)  | 4.410 (112.01) | 4.400 (111.76)    | 4.200 (106.68) |  |
| 44 88                 | 4.622 (117.40) | 4.865 (123.57) | 4.675 (118.75) | 4.646 (118.01) | 4.660 (118.36)  | 4.510 (114.55) | 4.500 (114.30)    | 4.300 (109.22) |  |
| 45 90                 | 4.722 (119.94) | 4.965 (126.11) | 4.775 (121.29) | 4.746 (120.55) | 4.760 (120.90)  | 4.610 (117.09) | 4.600 (116.84)    | 4.400 (111.76) |  |
| 46 92                 | 4.822 (122.48) | 5.065 (128.65) | 4.875 (123.83) | 4.846 (123.09) | 4.860 (123.44)  | 4.710 (119.63) | 4.700 (119.38)    | 4.500 (114.30) |  |
| 47 94                 | 4.922 (125.02) | 5.165 (131.19) | 4.975 (126.37) | 4.946 (125.63) | 4.960 (125.98)  | 4.810 (122.17) | 4.800 (121.92)    | 4.600 (116.84) |  |
| 48 96                 | 5.022 (127.56) | 5.265 (133.73) | 5.075 (128.91) | 5.046 (128.17) | 5.060 (128.52)  | 4.910 (124.71) | 4.900 (124.46)    | 4.700 (119.38) |  |
| 49 98                 | 5.122 (130.10) | 5.365 (136.27) | 5.175 (131.45) | 5.146 (130.71) | 5.160 (131.06)  | 5.010 (127.25) | 5.000 (127.00)    | 4.800 (121.92) |  |
| 50 100                | 5.222 (132.64) | 5.465 (138.81) | 5.275 (133.99) | 5.246 (133.25) | 5.260 (133.60)  | 5.110 (129.79) | 5.100 (129.54)    | 4.900 (124.46) |  |
| 51 102                | 5.322 (135.18) | 5.565 (141.35) | 5.375 (136.53) | 5.346 (135.79) | 5.360 (136.14)  | 5.210 (132.33) | 5.200 (132.08)    | 5.000 (127.00) |  |
| 52 104                | 5.422 (137.72) | 5.665 (143.89) | 5.475 (139.07) | 5.446 (138.33) | 5.460 (138.68)  | 5.310 (134.87) | 5.300 (134.62)    | 5.100 (129.54) |  |
| 53 106                | 5.522 (140.26) | 5.765 (146.43) | 5.575 (141.61) | 5.546 (140.87) | 5.560 (141.22)  | 5.410 (137.41) | 5.400 (137.16)    | 5.200 (132.08) |  |
| 54 108                | 5.622 (142.80) | 5.865 (148.97) | 5.675 (144.15) | 5.646 (143.41) | 5.660 (143.76)  | 5.510 (139.95) | 5.500 (139.70)    | 5.300 (134.62) |  |
| 55 110                | 5.722 (145.34) | 5.965 (151.51) | 5.775 (146.69) | 5.746 (145.95) | 5.760 (146.30)  | 5.610 (142.49) | 5.600 (142.24)    | 5.400 (137.16) |  |
| 56 112                | 5.822 (147.88) | 6.065 (154.05) | 5.875 (149.23) | 5.846 (148.49) | 5.860 (148.84)  | 5.710 (145.03) | 5.700 (144.78)    | 5.500 (139.70) |  |
| 57 114                | 5.922 (150.42) | 6.165 (156.59) | 5.975 (151.77) | 5.946 (151.03) | 5.960 (151.38)  | 5.810 (147.57) | 5.800 (147.32)    | 5.600 (142.24) |  |
| 58 116                | 6.022 (152.96) | 6.265 (159.13) | 6.075 (154.31) | 6.046 (153.57) | 6.060 (153.92)  | 5.910 (150.11) | 5.900 (149.86)    | 5.700 (144.78) |  |
| 59 118                | 6.122 (155.50) | 6.365 (161.67) | 6.175 (156.85) | 6.146 (155.51) | 6.160 (155.86)  | 6.010 (152.65) | 6.000 (152.40)    | 5.800 (147.32) |  |
| 60 120                | 6.222 (158.04) | 6.465 (164.21) | 6.275 (159.39) |                | 6.280 (159.00)  | 6.110 (155.19) | 6.100 (154.94)    | 5.900 (149.86) |  |
| 61 122                | 6.322 (160.58) |                |                |                | 6.360 (161.54)  |                | 6.200 (157.48)    | 6.000 (152.40) |  |
| 62 124                |                |                |                |                | 6.460 (164.08)  |                | 6.300 (160.02)    | 6.100 (154.94) |  |
| 63 126                |                |                |                |                | 6.560 (166.62)  |                | 6.400 (162.56)    | 6.200 (157.48) |  |
| 64 128                |                |                |                |                | 6.660 (169.16)  |                | 6.500 (165.10)    | 6.300 (160.02) |  |
| 65 130                |                |                |                |                | 6.760 (171.70)  |                | 6.600 (167.64)    | 6.400 (162.56) |  |
| 66 132                |                |                |                |                | 6.860 (174.24)  |                | 6.700 (170.18)    | 6.500 (165.10) |  |
| 67 134                |                |                |                |                | 6.960 (176.78)  |                | 6.800 (172.72)    | 6.600 (167.64) |  |
| 68 136                |                |                |                |                | 7.060 (179.32)  |                | 6.900 (175.26)    | 6.700 (170.18) |  |
| 69 138                |                |                |                |                | 7.160 (181.86)  |                | 7.000 (177.80)    | 6.800 (172.72) |  |
| 70 140                |                |                |                |                | 7.260 (184.40)  |                | 7.100 (180.34)    | 6.900 (175.26) |  |
| 71 142                |                |                |                |                | 7.360 (186.94)  |                | 7.200 (182.88)    | 7.000 (177.80) |  |
| 72 144                |                |                |                |                | 7.460 (189.48)  |                | 7.300 (185.42)    | 7.100 (180.34) |  |
| 73 146                |                |                |                |                | 7.560 (192.02)  |                | 7.400 (187.96)    | 7.200 (182.88) |  |
| 74 148                |                |                |                |                | 7.660 (194.56)  |                | 7.500 (190.50)    | 7.300 (185.42) |  |
| 75 150                |                |                |                |                | 7.760 (197.10)  |                | 7.600 (193.04)    | 7.400 (187.96) |  |



# MOUNTING OPTIONS - CARD EDGE CONNECTORS



## Standard Mounting Details

### CODE x01 - NO MOUNTING LUGS

- Applicable for 303, 305, 306, 307, 310, 315, 316, 317, 321, 325, 327, 333, 336, 337, 338, 340, 341, 342, 345, 346, 355, 356, 357, 379, 384, 387, 391, 392, 395 and 396 Series


### CODE x02, x04 & x09 - THROUGH MOUNTING HOLES

| Applicable Series  | Code x02<br>"A" Dia.                | Code x04<br>"A" Dia. | Code x09<br>"A" Dia. |
|--|-------------------------------------|----------------------|----------------------|
| 303, 305, 306, 307, 310, 315, 316, 321, 333, 337, 338, 340, 341, 345, 346, 355, 356, 357, 379, 384, 387, 391, 395, 396 | .128 (3.25)                         | .156 (3.96)          | —                    |
| 317, 323   | .144 (3.66)                         | .156 (3.96)          | —                    |
| 325  | —                                   | —                    | .160 (4.06)          |
| 327  | —                                   | —                    | .163 (4.14)          |
| 336  | .128 (3.25)                         | .156 (3.96)          | .178 (4.52)          |
| 342, 392   | .128(3.25) x<br>.146 (3.71)<br>Slot | .156 (3.96)          | —                    |



### CODE x03 - FLOATING EYELETS

| Applicable Series  | "A"         |
|--|-------------|
| 303, 305, 306, 307, 310, 315, 316, 317, 321, 323, 333, 336, 337, 338, 341, 345, 346, 355, 356, 357, 379, 384, 387, 391, 395, 396 | .328 (8.33) |
| 342, 392   | .348 (8.84) |




### CODE x07 & x08 - THREADED INSERTS


- Applicable for 303, 305, 306, 307, 310, 315, 316, 317, 321, 323, 325, 333, 336, 337, 338, 341, 342, 345, 346, 356, 357, 379, 384, 387, 391, 392, 395 and 396 Series
- See Code x12 for Side Mounting Threaded Inserts

### CODE x12 - SIDE MOUNTING HOLES

| Applicable Series                           | "A"         |
|---|-------------|
| 307, 333, 337, 345, 346, 357, 387, 395, 396 | .125 (3.18) |
| 342, 392                                    | .135 (3.43) |




- Series Listed Above based on Availability of 90 Degree Bend Contact Tails. Side Mounting Holes may also be Used for Other Card Edge Connectors with a Lug Height of .250 (6.35) or Greater.
- For Side Mounting with Threaded Inserts, Specify Code x17 for M3-0.5 Metric Threads or Code x18 for #4-40 Unified Threads.



# CARD EDGE CONNECTORS - MOUNTING OPTIONS

Standard Mounting Details

## CODE x58 & x68 - OFFSET CARD GUIDES




MOUNTING OPTION  
CODES x58 & x68

| Applicable Series for Code x58 Guides                 | "A"         | "B"          | "C"        | "D"         |
|---|-------------|--------------|------------|-------------|
| 305, 306, 307, 315, 316, 337, 338, 355, 356, 357, 387 | .468(11.89) | 2.755(69.98) | .125(3.18) | .423(10.74) |
| 345, 395  | .468(11.89) | 2.755(69.98) | .120(3.05) | .402(10.21) |
| 346, 396  | .468(11.89) | 2.755(69.98) | .120(3.05) | .398(10.11) |
| Applicable Series for Code x68 Guides                 | "A"         | "B"          | "C"        | "D"         |
| 305, 306, 307, 315, 316, 337, 338, 355, 356, 357, 387 | .344 (8.74) | 2.505(63.63) | .060(1.52) | .242 (6.15) |

- For Card Guides with .128 (3.25) Dia. Through Hole Inserts, Specify Code x52 or x62.
- For Card Guides with M3-0.5 Metric Threaded Inserts, Specify Code x57 or x67.
- For Field Assembly of Card Guides, Refer to Page 71.

## CODE x78 & x88 - IN-LINE CARD GUIDES



MOUNTING OPTION  
CODES x78 & x88

| Applicable Series for Code x78 Guides                 | "B"          | "C"        |
|---|--------------|------------|
| 305, 306, 307, 315, 316, 337, 338, 355, 356, 357, 387 | 1.550(39.37) | .090(2.29) |
| 317   | 1.712(43.48) | .110(2.79) |
| 345, 395  | 2.750(69.85) | .083(2.11) |
| 346, 396  | 2.750(69.85) | .091(2.31) |
| Applicable Series for Code x88 Guides                 | "B"          | "C"        |
| 345, 395  | 1.250(31.75) | .083(2.11) |

- In-Line Card Guides are Not Suitable for the Flush Mounting Lug Versions of 337, 387, 346 or 396 Series
- For Card Guides with .128 (3.25) Dia. Through Hole Inserts, Specify Code x72 or x82.
- For Card Guides with M3-0.5 Metric Threaded Inserts, Specify Code x77 or x87
- For Field Assembly of Card Guides, Refer to Page 71.