



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
 2. ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
 3. MATERIAL:
 - HOUSING - THERMOPLASTIC (BLACK)
 - TERMINALS - HIGH STRENGTH COPPER ALLOY PLATED WITH .000030 MIN GOLD, OR GOLD FLASH OVER .000030 MIN PALLADIUM NICKEL, ON CONTACT MATING SURFACE. .000050 MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
 4. WIRE SIZE: 26, 27, OR 28 AWG 7 STRANDS OF COPPER CONDUCTORS, MAX INSULATION ϕ .045 IS ACCEPTABLE FOR MOST APPLICATIONS.
5. CORING MAY OR MAY NOT APPEAR AND IS AT THE DISCRETION OF TFCO ELECTRONICS.

| | | | | | |
|--|--|----------|----|-------------|--------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT: | | DATE | | REVISIONS | |
| DRAWINGS | | GP | 00 | REV | DATE |
| DIMENSIONS | | J | | REVISED PER | ECO-06-00655 |
| OFFENSES | | REVISION | | | |
| APPROVALS | | DATE | | | |
| DESIGNER | | DRAWN | | | |
| CHECKER | | DATE | | | |
| APPROVER | | DATE | | | |
| CUSTOMER DRAWING | | PART NO | | | |