



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
- MATERIAL:
- HOUSING & COVER - THERMOPLASTIC, BLACK.
- TERMINALS - PHOS BRONZE PLATED WITH EITHER .000050 MINIMUM GOLD PLATE OR GOLD FLASH OVER PALLADIUM NICKEL PLATE; .000050 MIN TOTAL ON MATING SURFACE. GOLD FLASH PLATED ON TERMINATING SIDE; .000050 MINIMUM NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
- COVER SHOWN LOOSE BUT SHIPPED ASSEMBLED.
- WIRE RANGE: 26 AWG SOLID THRU 30 AWG SOLID AND 28 AWG STRANDED RIBBON CABLE.
- ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
- FLAT CABLE SHALL BE FURNISHED BY CUSTOMER.
- MATING FACE CONSISTS OF TWO ROWS OF TERMINALS ON .085 CENTERS, TERMINATING SIDE CONSISTS OF TERMINALS ON .100 CENTERS FOR AN EFFECTIVE .050 TERMINATION.
- FOR MORE INFORMATION REFER TO AMP PRODUCT SPECIFICATION 108-6076 & APPLICATION SPEC 114-6030.

THIS DRAWING IS A CONTROLLED DOCUMENT		DATE		REV	
Z. BEZAL 15/MAY/07		GP 00		1	
W. MILLIKINES 15/MAY/07		H		17/SEP/08	
APPROVED SPEC		REVISED PER ECU-08-007327		DATE 7 JAN 07	
APPLICATION SPEC		A2100779		DATE 17/SEP/08	
RECAP		553597		DATE 17/SEP/08	
CUSTOMER DRAWING		SCALE 2:1		SHEET 1 OF 1	
AS SHOWN		553597-1		DATE 7 JAN 07	
DESCRIPTION		PART NUMBER		DATE 17/SEP/08	
Yeo Electronics Corporation		Huntingburg, IN 47109-3098		DATE 17/SEP/08	
RECEPTACLE ASSEMBLY, 14 POSITION		SCREEN CLAMP LATCH		DATE 17/SEP/08	
Screw		CLAMP LATCH		DATE 17/SEP/08	
RESTRICTED TO		RESTRICTED TO		DATE 17/SEP/08	