

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		F		REVISED PER ECO-08-007327	02OCT08	BM	WM

1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.



△2 MATERIAL: HOUSING & STRAIN RELIEF CLIP – THERMOPLASTIC, BLACK.
 TERMINALS – HIGH STRENGTH COPPER ALLOY PLATED WITH
 .76µm[.000030] MIN GOLD, OR, GOLD FLASH OVER PALLADIUM
 NICKEL .76µm[.000030] MIN TOTAL ON MATING SURFACE. GOLD
 FLASH ON TERMINATING END. 1.27µm[.000050] MIN NICKEL
 UNDERPLATE OVER ENTIRE TERMINAL.
 INSERT – ZINC PLATED BRASS

△3 STRAIN RELIEF CLIP SHIPPED UNASSEMBLED

4. WIRE SIZE: 28 AWG (STRANDED) OR 30 AWG (SOLID) COPPER RIBBON CABLE.

△5 ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.

△6 RIBBON CABLE SHALL BE FURNISHED BY CUSTOMER.



END VIEW
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DL DRUMMOND 21 JUL 99	AS SHOWN		552837-1
DIMENSIONS: mm [INCHES]		CHK EW BEILES 21 JUL 99	DESCRIPTION		PART NUMBER
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD EW BEILES 21 JUL 99	Tyco Electronics Corporation Harrisburg, PA 17105-3608		
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	PLUG KIT, 64 POSITION, SCREW LOCK, CHAMP-LATCH		
2 PLC ± - △5	3 PLC ± -	APPLICATION SPEC	SIZE A2	CAGE CODE 00779	DRAWING NO C=552837
4 PLC ± -	ANGLES ± -	WEIGHT -	RESTRICTED TO -		
MATERIAL △2	FINISH △2	CUSTOMER DRAWING	SCALE 1:1	SHEET 1 OF 1	REV F