





REV	DATE	DESCRIPTION	BY	CHKD
00				
G	19/JAN/07	REVISED FOR ESD-06-000526	ZURWILK	



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
2. ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
3. MATERIAL:
 HOUSING - THERMOPLASTIC (BLACK)
 TERMINALS - HIGH STRENGTH COPPER ALLOY PLATED WITH .000030 MIN GOLD OR GOLD FLASH OVER .000030 MIN PALLADIUM NICKEL ON CONTACT MATING SURFACE. .000050 MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
4. WIRE SIZE: 24 & 26 AWG SOLID & 24 AWG 7 STRANDS OF COPPER CONDUCTORS. MAX INSULATION DIAMETER OF .045 IS ACCEPTABLE FOR MOST APPLICATIONS.

△ CORING MAY OR MAY NOT APPEAR AND IS AT THE DISCRETION OF TYCO ELECTRONICS.

DIMENSIONS		DIMENSIONS		DIMENSIONS	
AS SHOWN	552276-1	AS SHOWN	552276-1	AS SHOWN	552276-1
DESCRIPTION		DESCRIPTION		DESCRIPTION	
PART NO		PART NO		PART NO	

THIS DRAWING IS A CONTROLLED DOCUMENT		THIS DRAWING IS A CONTROLLED DOCUMENT		THIS DRAWING IS A CONTROLLED DOCUMENT	
DATE	REV	DATE	REV	DATE	REV
3-28-87	1	3-28-87	1	3-28-87	1
M.O. FRIEL		M.O. FRIEL		M.O. FRIEL	
3-28-87		3-28-87		3-28-87	
TYCO ELECTRONICS CORPORATION		TYCO ELECTRONICS CORPORATION		TYCO ELECTRONICS CORPORATION	
HARRISBURG, PA 17105-5088		HARRISBURG, PA 17105-5088		HARRISBURG, PA 17105-5088	
ASSEMBLY, PLUG, 64 POSITION, B SLOT		ASSEMBLY, PLUG, 64 POSITION, B SLOT		ASSEMBLY, PLUG, 64 POSITION, B SLOT	
CHAMP-LOK, BML LOCK		CHAMP-LOK, BML LOCK		CHAMP-LOK, BML LOCK	
APPLICATION SPEC		APPLICATION SPEC		APPLICATION SPEC	
RECORD		RECORD		RECORD	
CUSTOMER DRAWING		CUSTOMER DRAWING		CUSTOMER DRAWING	
A2100779		A2100779		A2100779	
552276		552276		552276	
SCALE		SCALE		SCALE	
NTS		NTS		NTS	
SHEET		SHEET		SHEET	
1 OF 1		1 OF 1		1 OF 1	
REV		REV		REV	
G		G		G	