




DRAWING MADE IN THIRD ANGLE PROJECTION

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED, HARRISBURG, PA. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENTS AND/OR PATENTS PENDING.

LOC	DIST	P		F		ZONE	LTR	DESCRIPTION	DATE	APPD
AA	20	0	1	0				RLSD NPI C88-49	4-27-88	CS



1. THE CONTACT SURFACES OF TERMINALS ARE COATED WITH LUBRICANT.
  2. ALL DIMENSIONS SHOWN ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.
  3. MATERIAL: HOUSING - POLYPHENYLENE OXIDE, BLACK. TERMINALS - D10 THICK PHOS BRONZE PLATED WITH .0000275 MINIMUM GOLD IN LOCALIZED GOLD PLATE AREA OVER .000050 MINIMUM THICK NICKEL UNDERPLATE.
  4. WIRE SIZE: 22 AWG SOLID OR STRANDED COPPER CONDUCTORS. INSULATION DIAMETER OF .045-.056 IS ACCEPTABLE FOR MOST APPLICATIONS.
5. SEE PRODUCT SPECIFICATION 108-6005 FOR PERFORMANCE SPECIFICATION.
6. 100 ASSEMBLIES BULK PACKED IN ANTISTATIC MATERIAL.



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES OF		DR <i>Glenn Hoodwill 4-27-88</i>		AMP		AMP INCORPORATED Harrisburg, Pa. 17105	
2 PL DEC ±	—	CHK <i>R.L. Clark 5-13-88</i>		NAME			
3 PL DEC ±	—	APPD <i>E. Marsh 5-16-88</i>		PLUG ASSEMBLY, 64 POSITION, F SLOT, BAIL LOCK, CHAMP-LOK®			
ANGLES ±	—	APPD <i>H. Squire 5-16-88</i>		SIZE C			
MATERIAL	3	PRODUCT/SPEC	5	FSCM NO	00779	DRAWING NO	555753
FINISH	3	APPLICATION SPEC		SCALE	2:1	SHEET	1 OF 1
		WEIGHT		CUSTOMER DRAWING			

555753