



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
2. MATERIAL: HOUSING & COVER - THERMOPLASTIC, BLACK. TERMINALS - PHOS BRONZE PLATED WITH EITHER .000030 MINIMUM GOLD PLATE OR GOLD FLASH OVER PALLADIUM NICKEL PLATE, .000030 MIN TOTAL ON MATING SURFACE. GOLD FLASH PLATED ON TERMINATING SIDE. .000050 MINIMUM NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
3. COVER SHOWN LOOSE BUT SHIPPED ASSEMBLED.
4. WIRE RANGE: 26 AWG SOLID THRU 30 AWG SOLID AND 2B AWG STRANDED RIBBON CABLE.
5. ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
6. FLAT CABLE SHALL BE FURNISHED BY CUSTOMER.
7. MATING FACE CONSISTS OF TWO ROWS OF TERMINALS ON .085 CENTERS, TERMINATING SIDE CONSISTS OF TERMINALS ON .100 CENTERS FOR AN EFFECTIVE .050 TERMINATION.
8. FOR MORE INFORMATION REFER TO AMP PRODUCT SPECIFICATION 108-8076 & APPLICATION SPEC 114-6030.

REV		DATE		BY	
GP	00				
H		17 APR 83		BM	WM

THIS DRAWING IS A CONTROLLED DOCUMENT		FORM 1504/07		FORM 1504/07	
DIMENSIONS IN INCHES		FORM 1504/07		FORM 1504/07	
ORANGE STRIPES		FORM 1504/07		FORM 1504/07	
APPROVALS		FORM 1504/07		FORM 1504/07	
CUSTOMER DRAWING		FORM 1504/07		FORM 1504/07	

AS SHOWN 553600-1  
 DESCRIPTION PART NUMBER

Yves Deronics Corporation  
 1705-4995  
 PLYG ASSEMBLY, 36 POSITION  
 SCREEN CLAMP LATCH