



THIS DRAWING IS UNCONTROLLED SPEC. RELEASED FOR REPRODUCTION BY THE ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

4 3



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
- MATERIAL:  
HOUSING & COVER - THERMOPLASTIC, BLACK.  
TERMINALS - PHOS BRONZE PLATED WITH EITHER .000050 MINIMUM GOLD PLATE OR GOLD FLASH OVER PALLADIUM NICKEL PLATE; .000050 MIN TOTAL ON MATING SURFACE. GOLD FLASH PLATED ON TERMINATING SIDE; .000050 MINIMUM NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
2. COVER SHOWN LOOSE BUT SHIPPED ASSEMBLED.
3. WIRE RANGE: 26 AWG SOLID THRU 30 AWG SOLID AND 28 AWG STRANDED RIBBON CABLE.
4. ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
5. FLAT CABLE SHALL BE FURNISHED BY CUSTOMER.
6. MATING FACE CONSISTS OF TWO ROWS OF TERMINALS ON .085 CENTERS, TERMINATING SIDE CONSISTS OF TERMINALS ON .100 CENTERS FOR AN EFFECTIVE .050 TERMINATION.
7. FOR MORE INFORMATION REFER TO AMP PRODUCT SPECIFICATION 108-6076 & APPLICATION SPEC 114-6030.

2 1

REV		REV		REV	
DATE	DESCRIPTION	DATE	DESCRIPTION	DATE	DESCRIPTION
1/7/68	REVISED PER ECU-68-00122				

THIS DRAWING IS A CONTROLLED DOCUMENT		DATE		DATE	
DRAWN BY: Z. BEZAL		16/MAY/07		16/MAY/07	
CHECKED BY: W. MILLIMANES		16/MAY/07		16/MAY/07	
APPROVED BY: [Signature]		DATE		DATE	
APPLICATION SPEC		A2100779		553602	
CUSTOMER DRAWING		SCALE		SHEET 1 OF 1	

AMP 1171-4-REV 3/10/00

AS SHOWN 553602-1  
DESCRIPTION PART NUMBER

Yeo Electronics Corporation  
Huntingburg, IN 47109-4098

PLUG ASSEMBLY, 50 POSITION  
SCREW LOCK, LOW PROFILE,  
STAMP LATCH

RESTRICTED TO

553602