



Copyright FCI.

A

B

C


D

A

B


C

D



Part Number & Date Code Printing

PC card drilling dimensions(after plating)
(thickness 1.60 \pm 0.20mm)






Core range

SHELL	PART NUMBER	DESIGNATIONS
09	D09S13A4GV00**	RECEPTACLE 9 CTS RIGHT ANGLED-SOLDER TO BOARD-PCB HARPOON-SCREWLOCK UNC 4.40-ELEC.CONTIN.-PERFORM. LEVEL PL3
15	D15S13A4GV00**	RECEPTACLE 15 CTS RIGHT ANGLED-SOLDER TO BOARD-PCB HARPOON-SCREWLOCK UNC 4.40-ELEC.CONTIN.-PERFORM. LEVEL PL3
25	D25S13A4GV00**	RECEPTACLE 25 CTS RIGHT ANGLED-SOLDER TO BOARD-PCB HARPOON-SCREWLOCK UNC 4.40-ELEC.CONTIN.-PERFORM. LEVEL PL3

LF FOR LEAD FREE

European Views

rev	ecn no	dr	date
G	I05-0124	JS	2005/07/27
H	I06-0074	SK	2006/06/08
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com			surface ISO 1302		tolerance std ISO 406 ISO 1101		projection 		mm 		
			TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr	JOHN SLEEBA	1994/08/01	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 1:1			
Eng	GEORGE VJ	1994/08/01			0.XX	±0.1					
Chr	GEORGE VJ	2005/07/27			0.XX* ±1*	0.XXX					±0.1
Appr	KVSD	2005/07/27	Product family				D-SUB	Spec ref -			
			title SCREWLOCK, HARPOON, METAL PLATE. SCREWLOCK, HARPOON, METAL PLATE.				dwg no C01-8646-0291-1			Rev. H	
			catalog no DELTA-D				CUSTOMER			sheet 1 of 1	

REV F - 2006-04-17

PDM: Rev:H

STATUS:Released

Printed: Aug 23, 2006