


PC board drilling dimensions(after plating)
(thickness ≤ 3.20±0.30mm)



TIN LEAD PART NUMBER




SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER
09	30.81	24.99	16.96	16.79	10.96	D09P90C6GX00
15	39.14	33.32	25.18	25.12	19.18	D15P90C6GX00
25	53.03	47.04	39.12	38.84	33.12	D25P90C6GX00
37	69.32	63.50	55.68	55.30	49.68	D37P90C6GX00

LEAD FREE PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER
09	30.81	24.99	16.96	16.79	10.96	D09P90C6GX00LF
15	39.14	33.32	25.18	25.12	19.18	D15P90C6GX00LF
25	53.03	47.04	39.12	38.84	33.12	D25P90C6GX00LF
37	69.32	63.50	55.68	55.30	49.68	D37P90C6GX00LF

rev	ecn no	dr	date
A	-	JOU	1997/01/21
B	LS05-004	MPE	2005/02/14
C	LS06-0097	LGO	2006/07/28
D	LS06-0140	LGO	2006/09/22
-	-	-	-
-	-	-	-
-	-	-	-

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C01-8646-0001

www.fciconnect.com			surface ISO 1302		tolerance std ISO 406 ISO 1101		projection 		mm 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	PESSON	1997/01/21	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 2		
Eng	PESSON	1997/01/21			0.XX	±0.1				
Chr	LEGARE	1997/01/21			0.XX' ±2°	0.XXX				
Appr	LEGARE	1997/01/21	Product family				D-SUB	Spec ref -		
			title MALE CONNECTOR DELTA LOW PROFIL straight press-fit				dwg no C01-8646-0532	Rev. D		
catalog no										
							CUSTOMER		sheet 1 of 1	