



DIMENSIONS mm (inches)



SPECIFICATION 251 = specific marking : only date code
or SPECIFICATION AN=

PART NUMBER	8609	51	7	5
PIN OUT row a	1	32		
rows a-b	2	64		
NUMBER OF CONTACTS				
TERMINATION L = 2.75 ±0.15 (.108)	A = $\varnothing 0.6^0_{-0.08}$	B = $\varnothing 0.8^0_{-0.3}$	13	
PERFORMANCE CLASS DIN 41612 class 3				4
DIN 41612 class 2				5
DIN 41612 class 1				6
TERMINATION TYPE TIN LEAD				251E1
LEAD FREE				ANLF

PCB DRILLING



GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:

SEE DRAWING C-8609-0000A

European Views

www.fciconnect.com		surface ISO 1302	tolerance std ISO 406 ISO 1101	projection	mm
TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	ROUILLARD	2000/11/20	ANGULAR	size	Scale
Eng	TARON	2000/11/20	LINEAR	A3	1.5
Chr	LEGARE	2000/11/20	0.XX	ECN	LS06-0095
Appr	LEGARE	2000/11/20	0.XXX	Product family	DIN 8609
FCJ		RIGHT ANGLE MALE - STYLE B		Spec ref	-
SOLDER TO BOARD		title	C-8609-0848	dwg no	Rev.
catalog no		CUSTOMER		sheet	1 of 1

rev	ecn no	dr	date
A	-	-	2000/11/20
B	LS05-001	JTA	2005/03/03
C	LS06-0095	LGO	2006/06/26
-	-	-	-
-	-	-	-
-	-	-	-