



PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
70229-X01/X01LF	1.6	2.90
70229-X11/X11LF	2.4	3.53




NOTE 8




PLATING CONTACT AREA:

PRODUCT NR:	PERFORMANCE LEVEL:
70229-1YZ/1YZLF	TELCORDIA CD
70229-2YZ/2YZLF	CUSTOMER SPECIAL
70229-3YZ/3YZLF	CUSTOMER SPECIAL
70229-9YZ/9YZLF	TELCORDIA CD



PRODUCT AFTER HOT RIVETTING.


PC BOARD THICKNESS ±0.20
SEE TABLE



NOTES:

- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
- TERMINAL MATERIAL: PHOSPHOR BRONZE.
- PLATING SOLDER TAILS 2-8 µm SnPb 90-97 OR 2-8 鍍 PURE Sn
- INDICATED HOLES ARE UNPLATED.
- PRODUCT MARKING: PART NUMBER & BATCH ID.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260 DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.

3±0.15









RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

SEE NOTE 4.

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCJ	
K	DG04-0104	Clu	041221	linear		projection	title
L	DG06-0477	Cenh	11/20/06	angles		RA FEMALE SIGNAL	STB 48 mm VERSION
M	DG07-0168	Cenh	05/08/07			product family	METRAL(tm)
G	V70769	DBB	970602	dir	Avan Zanten	900918	code
H	V00578	LLA	000316	enr	H. Bouwknegt	940308	213
J	V00847	LLA	000530	chr	A van Zanten	900918	sheet
				app	H van Voensel	900918	1 of 3
sheet	revision	M	M	M			
index	sheet	1	2	3			

All rights strictly reserved. Reproduction or issue in any form without written permission of FCI is prohibited. FCI is the proprietor of this document.

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
70229-X02/X02LF	1.6	2.90
70229-X12/X12LF	2.4	3.53



NOTES:

- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
- TERMINAL MATERIAL: PHOSPHOR BRONZE.
- PLATING SOLDER TAILS 2-8 µm SnPb 90-97 OR 2-8 鍍 PURE Sn
- INDICATED HOLES ARE UNPLATED.
- PRODUCT MARKING: PARTNUMBER & BATCH ID.
- SET BACK FOR PRESS BLOCK.
- TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.

PLATING CONTACT AREA:




PRODUCT NR:	PERFORMANCE LEVEL:
70229-1YZ/1YZLF	TELCORDIA CD
70229-2YZ/2YZLF	CUSTOMER SPECIAL
70229-3YZ/3YZLF	CUSTOMER SPECIAL
70229-9YZ/9YZLF	TELCORDIA CD

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCJ	
ltn	ecn	nddr	date	linear	projection	title	www.fcjconnect.com
					⊕	RA FEMALE SIGNAL STB 48 mm VERSION	
				angles	mm	product family METRAL(tm)	code 213
				dr. D. de Bil 970529	51	size/wg no 70229	sheet 2 of 2
				enfr. P. Schalk 970529			
				chr. P. Schalk 970529			
				oppd. H. Cooljans 970529			
sheet index	revision sheet						


All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. © FCI b.v.




PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM "A"
70229-X03/X03LF	1.6	2.90
70229-X13/X13LF	2.4	3.53



NOTE 8



PRODUCT AFTER HOT RIVETTING.



NOTES:

- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
- 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 PLATING SOLDER TAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn
- 4 INDICATED HOLES ARE UNPLATED.
- 5 PRODUCT MARKING: PART NUMBER & BATCH ID.
- 6 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 7 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
8. DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.

RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

PLATING CONTACT AREA:

PRODUCT NR:	PERFORMANCE LEVEL:
70229-1YZ/1YZLF	TELCORDIA CO
70229-2YZ/2YZLF	CUSTOMER SPECIAL
70229-3YZ/3YZLF	CUSTOMER SPECIAL
70229-9YZ/9YZLF	TELCORDIA CO

mat'l code		tolerances unless otherwise specified		CUSTOMER COPY		FCJ	
ltn	ecn	nddr	date	linear	projection	title	RA FEMALE SIGNAL
				angles	mm	product family	METRAL(tm)
				dr: Heaven Cen 11/20/06	scale	size	no
				enrg: Collins Lu 11/20/06	5:1	code	213
				chr: Beer Fu 11/20/06	A2	sheet	3 of-
				appd: Joseph Hsia 11/20/06			
sheet	revision						
index	sheet						

All rights strictly reserved. Reproduction or issue to third parties in any form, without the written permission of FCI is prohibited. FCI is not responsible for any damage or loss of data resulting from the use of this product.

