




PRODUCT NUMBER
70238-XY Y
70238-XY YLF



PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-9YY	0.76um GXT	-
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 10
-2YYLF	TELECOM CLASS	SEE NOTE 10
-5YYLF	TELCORDIA UE	SEE NOTE 10


mat'l code				tolerances unless otherwise specified			CUSTOMER		FCj www.fciconnect.com		
ltr	ecm no.	dr	date	linear	0.X ±0.3		COPY		title METRAL POWER HEADER 1 MOD, 4 ROW PRESS-FIT		
AL	V06-0498	DCH	2006-05-31		0.XX ±0.13		projection				
-	-	-	-		.XXX ±.051		⊕				
AF	V03-0134	DAI	01/30/03	angles	0° ±2°		MM		product family METRAL code		
AG	V04-0283	DAI	04/05/04	dr	T.BRUNGARD	11/19/99	← MM →		size		
AH	V04-1147	DAI	11/24/04	enrg	M.STRAWSER	11/19/99	scale		213		
AJ	V04-1147	DAI	11/24/04	chr	M.STRAWSER	11/19/99	2:1		sheet		
AK	V05-0796	DAI	08/19/05	appd	M.STRAWSER	02/29/00	A		70238		
sheet index	revision sheet	AL	AL	AL	AL	AL	AL	cage code		22526	
		1	2	3	4	5	6			4	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCj. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCj. Copyright FCj.

1 | 2

3 |

4



KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	6.50	4.30
2	7.25	4.30
3	8.00	4.30
4	6.50	13.60
5	7.25	13.60
6	8.00	13.60
7	6.50	17.00
8	7.25	17.00
9	8.00	17.00

REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE

SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION



This document is the property of and embodies  
 CONFIDENTIAL and PROPRIETARY information of FCI.  
 No part of the information shown on this  
 document may be used in any way or disclosed  
 to others without the written consent of FCI.  
 Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com	
ltr	ecm no.	dr	date	linear	0.X ±0.3	COPY		projection	title METRAL POWER HEADER 1 MOD, 4 ROW PRESS-FIT
AL					0.XX ±0.13				
					.XXX ±.051				
				angles	0° ±2°	MM		product family	METRAL
				dr	T.BRUNGARD	11/19/99	scale 2:1	size	dwg no
				engr	M.STRAWSER	11/19/99		A	70238
				chr	M.STRAWSER	11/19/99			
				appd	M.STRAWSER	02/29/00			
sheet index	revision sheet								

cage code 22526

Pro/E

3 |

4

PDM: Rev:AL

STATUS: Released

Printed: Dec 28, 2007

This document is the property of and embodies  
 CONFIDENTIAL and PROPRIETARY information of FCJ.  
 No part of the information shown on this  
 document may be used in any way or disclosed  
 to others without the written consent of FCJ.  
 Copyright FCJ.



1   2				3				4											
METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2			1	2			1	2			1	2				
70238-X01 SEE NOTE 11 LEAD FREE OPTION	D	3	1	70238-X06 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X21 SEE NOTE 11 LEAD FREE OPTION	D	6	4	70238-X26 SEE NOTE 11 LEAD FREE OPTION	D	4	4	70238-X31 SEE NOTE 11 LEAD FREE OPTION	D	9	7
	C	3	1		C	-	2		C	6	4		C	-	5		C	9	7
	B	3	1		B	-	3		B	6	4		B	-	6		B	9	7
	A	3	1		A	3	3		A	6	4		A	6	6		A	9	7
70238-X02 SEE NOTE 11 LEAD FREE OPTION	D	3	2	70238-X07 SEE NOTE 11 LEAD FREE OPTION	D	2	2	70238-X22 SEE NOTE 11 LEAD FREE OPTION	D	6	5	70238-X27 SEE NOTE 11 LEAD FREE OPTION	D	5	5	70238-X32 SEE NOTE 11 LEAD FREE OPTION	D	9	8
	C	3	2		C	1	1		C	6	5		C	4	4		C	9	8
	B	3	2		B	1	1		B	6	5		B	4	4		B	9	8
	A	3	2		A	3	3		A	6	5		A	6	6		A	9	8
70238-X03 SEE NOTE 11 LEAD FREE OPTION	D	2	3	70238-X08 SEE NOTE 11 LEAD FREE OPTION	D	2	2	70238-X23 SEE NOTE 11 LEAD FREE OPTION	D	5	6	70238-X28 SEE NOTE 11 LEAD FREE OPTION	D	5	5	70238-X33 SEE NOTE 11 LEAD FREE OPTION	D	8	9
	C	2	3		C	2	2		C	5	6		C	5	5		C	8	9
	B	2	3		B	2	2		B	5	6		B	5	5		B	8	9
	A	2	3		A	3	2		A	5	6		A	6	5		A	8	9
70238-X04 SEE NOTE 11 LEAD FREE OPTION	D	3	3	70238-X09 SEE NOTE 11 LEAD FREE OPTION	D	2	1	70238-X24 SEE NOTE 11 LEAD FREE OPTION	D	6	6	70238-X29 SEE NOTE 11 LEAD FREE OPTION	D	5	4	70238-X34 SEE NOTE 11 LEAD FREE OPTION	D	9	9
	C	3	3		C	2	1		C	6	6		C	5	4		C	9	9
	B	3	3		B	2	1		B	6	6		B	5	4		B	9	9
	A	2	3		A	2	1		A	5	6		A	5	4		A	8	9
70238-X05 SEE NOTE 11 LEAD FREE OPTION	D	1	3	70238-X10 SEE NOTE 11 LEAD FREE OPTION	D	1	2	70238-X25 SEE NOTE 11 LEAD FREE OPTION	D	4	6	70238-X30 SEE NOTE 11 LEAD FREE OPTION	D	4	5	70238-X35 SEE NOTE 11 LEAD FREE OPTION	D	7	9
	C	1	3		C	1	2		C	4	6		C	4	5		C	7	9
	B	1	3		B	1	2		B	4	6		B	4	5		B	7	9
	A	1	3		A	1	2		A	4	6		A	4	5		A	7	9

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY		title METRAL POWER HEADER 1 MOD, 4 ROW PRESS-FIT				
AL					0.XX ±0.13		projection						
					.XXX ±.051								
				angles	0° ±2°				product family		METRAL		
				dr	T.BRUNGARD	11/19/99	MM		size		213		
				engr	M.STRAWSER	11/19/99	← MM →		dwg no		3		
				chr	M.STRAWSER	11/19/99	scale		A		70238		
				appd	M.STRAWSER	02/29/00	2:1				sheet		
sheet index		revision sheet										3	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2			1	2			1	2			1	2
70238-X36 SEE NOTE 11 LEAD FREE OPTION	D	7	7	70238-X41 SEE NOTE 11 LEAD FREE OPTION	D	3	2	70238-X46 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X53 SEE NOTE 11 LEAD FREE OPTION	D	6	6
	C	-	8		C	3	-		C	1	1		C	6	6
	B	-	9		B	3	2		B	3	1		B	4	4
	A	9	9		A	-	-		A	3	1		A	4	4
70238-X37 SEE NOTE 11 LEAD FREE OPTION	D	8	8	70238-X42 SEE NOTE 11 LEAD FREE OPTION	D	-	3	70238-X47 SEE NOTE 11 LEAD FREE OPTION	D	1	3	70238-X54 SEE NOTE 11 LEAD FREE OPTION	D	4	4
	C	7	7		C	-	3		C	3	3		C	4	4
	B	7	7		B	-	3		B	1	3		B	4	6
	A	9	9		A	-	3		A	3	3		A	4	4
70238-X38 SEE NOTE 11 LEAD FREE OPTION	D	8	8	70238-X43 SEE NOTE 11 LEAD FREE OPTION	D	3	3	70238-X48 SEE NOTE 11 LEAD FREE OPTION	D	3	3	70238-X55 SEE NOTE 11 LEAD FREE OPTION	D	4	4
	C	8	8		C	3	3		C	3	1		C	4	4
	B	8	8		B	1	1		B	1	1		B	4	4
	A	9	8		A	1	1		A	3	3		A	6	6
70238-X39 SEE NOTE 11 LEAD FREE OPTION	D	8	7	70238-X44 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X51 SEE NOTE 11 LEAD FREE OPTION	D	1	5	70238-X56 SEE NOTE 11 LEAD FREE OPTION	D	4	4
	C	8	7		C	1	1		C	6	-		C	4	4
	B	8	7		B	1	3		B	6	5		B	6	4
	A	8	7		A	1	1		A	-	-		A	6	4
70238-X40 SEE NOTE 11 LEAD FREE OPTION	D	7	8	70238-X45 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X52 SEE NOTE 11 LEAD FREE OPTION	D	-	6	70238-X57 SEE NOTE 11 LEAD FREE OPTION	D	6	6
	C	7	8		C	1	1		C	-	6		C	6	6
	B	7	8		B	1	1		B	-	6		B	4	6
	A	7	8		A	3	3		A	-	6		A	6	6
70238-X58 SEE NOTE 11 LEAD FREE OPTION	D	6	6	70238-X61 SEE NOTE 11 LEAD FREE OPTION	D	9	8	70238-X62 SEE NOTE 11 LEAD FREE OPTION	D	-	9	70238-X63 SEE NOTE 11 LEAD FREE OPTION	D	9	9
	C	6	4		C	9	-		C	-	9		C	9	9
	B	4	4		B	9	8		B	-	9		B	7	7
	A	6	6		A	-	-		A	-	9		A	7	7
70238-X64 SEE NOTE 11 LEAD FREE OPTION	D	7	7	70238-X64 SEE NOTE 11 LEAD FREE OPTION	D	7	7	70238-X64 SEE NOTE 11 LEAD FREE OPTION	D	7	7	70238-X64 SEE NOTE 11 LEAD FREE OPTION	D	7	7
	C	7	7		C	7	7		C	7	7		C	7	7
	B	7	9		B	7	9		B	7	9		B	7	9
	A	7	7		A	7	7		A	7	7		A	7	7

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ	
ltr	ecn no.	dr	date	linear	0.X ± 0.3	COPY		www.fciconnect.com	
AL				linear	0.XX ± 0.13	projection		title	
				angles	.XXX ± .051			METRAL POWER HEADER 1 MOD, 4 ROW PRESS-FIT	
				dr	T.BRUNGARD 11/19/99	MM		product family	
				enrg	M.STRAWSER 11/19/99			METRAL	
				chr	M.STRAWSER 11/19/99	2:1		code	
				appd	M.STRAWSER 02/29/00	A		213	
sheet index	revision sheet							sheet	
								4	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1		METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2			1	2			1	2			1	2			1	2
70238-X65 SEE NOTE 11 LEAD FREE OPTION	D	7	7	70238-X70 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X75 SEE NOTE 11 LEAD FREE OPTION	D	3	2	70238-X80 SEE NOTE 11 LEAD FREE OPTION	D	1	3	70238-X85 SEE NOTE 11 LEAD FREE OPTION	D	2	3
	C	7	7		C	2	2		C	3	2		C	1	3		C	2	3
	B	7	7		B	1	1		B	1	3		B	1	3		B	2	3
	A	9	9		A	2	2		A	2	3		A	1	3		A	2	3
70238-X66 SEE NOTE 11 LEAD FREE OPTION	D	7	7	70238-X71 SEE NOTE 11 LEAD FREE OPTION	D	3	3	70238-X76 SEE NOTE 11 LEAD FREE OPTION	D	2	2	70238-X81 SEE NOTE 11 LEAD FREE OPTION	D	3	1	70238-X86 SEE NOTE 11 LEAD FREE OPTION	D	1	3
	C	7	7		C	-	-		C	1	1		C	3	1		C	3	3
	B	9	7		B	2	2		B	1	1		B	3	1		B	3	3
	A	9	7		A	2	2		A	1	1		A	3	1		A	3	3
70238-X67 SEE NOTE 11 LEAD FREE OPTION	D	9	9	70238-X72 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X77 SEE NOTE 11 LEAD FREE OPTION	D	2	2	70238-X82 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X87 SEE NOTE 11 LEAD FREE OPTION	D	2	3
	C	9	9		C	-	-		C	3	3		C	1	1		C	2	3
	B	7	9		B	-	-		B	2	2		B	3	3		B	2	1
	A	9	9		A	1	1		A	3	2		A	3	1		A	2	3
70238-X68 SEE NOTE 11 LEAD FREE OPTION	D	9	9	70238-X73 SEE NOTE 11 LEAD FREE OPTION	D	2	3	70238-X78 SEE NOTE 11 LEAD FREE OPTION	D	3	3	70238-X83 SEE NOTE 11 LEAD FREE OPTION	D	1	1	70238-X88 SEE NOTE 11 LEAD FREE OPTION	D	3	2
	C	9	7		C	2	3		C	3	3		C	1	1		C	3	2
	B	7	7		B	2	1		B	3	3		B	3	2		B	2	3
	A	9	9		A	2	3		A	2	3		A	1	1		A	2	3
70238-X69 SEE NOTE 11 LEAD FREE OPTION	D	2	2	70238-X74 SEE NOTE 11 LEAD FREE OPTION	D	3	2	70238-X79 SEE NOTE 11 LEAD FREE OPTION	D	-	2	70238-X84 SEE NOTE 11 LEAD FREE OPTION	D	3	2	70238-X89 SEE NOTE 11 LEAD FREE OPTION	D	3	2
	C	2	2		C	3	2		C	-	2		C	3	2		C	3	2
	B	1	1		B	2	3		B	-	2		B	3	2		B	1	3
	A	2	3		A	2	3		A	-	2		A	3	2		A	2	3

mat'l code				tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY		title METRAL POWER HEADER 1 MOD, 4 ROW PRESS-FIT		
AL					0.XX ±0.13		projection				
					.XXX ±.051						
				angles	0° ±2°				product family METRAL code		
				dr	T.BRUNGARD	11/19/99	MM		size		213
				engr	M.STRAWSER	11/19/99	← MM →		dwg no		sheet
				chr	M.STRAWSER	11/19/99	scale		A		5
				appd	M.STRAWSER	02/29/00	2:1		70238		
sheet index	revision sheet								cage code		22526

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
70238-X90  SEE NOTE 11 LEAD FREE OPTION	D	2	3
	C	2	3
	B	2	1
	A	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
70238-X91  SEE NOTE 11 LEAD FREE OPTION	D	1	1
	C	1	3
	B	3	3
	A	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
70238-X92  SEE NOTE 11 LEAD FREE OPTION	D	-	1
	C	-	1
	B	-	1
	A	-	1

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
70238-X93  SEE NOTE 11 LEAD FREE OPTION	D	1	2
	C	2	2
	B	1	3
	A	1	3

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
70238-X94  SEE NOTE 11 LEAD FREE OPTION	D	1	-
	C	1	-
	B	3	-
	A	1	-

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
70238-X95  SEE NOTE 11 LEAD FREE OPTION	D	1	-
	C	-	1
	B	1	-
	A	-	1

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL  
POLYMER 30 % GLASS.  
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:  
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:  
70238-XXX IS SnPb  
70238-XYLF IS SN (LEAD FREE)  
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180  
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- A PLATING HAS Au FLASH IN PRESS FIT AREA (LEAD FREE).
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 70238-X01LF
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com		
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		projection	title METRAL POWER HEADER 1 MOD, 4 ROW PRESS-FIT	
AL					0.XX ±0.13	MM				
					.XXX ±.051	2:1				
				angles	0° ±2°	scale		A	70238	
		dr	T.BRUNGARD	11/19/99	product family		METRAL			code
		engr	M.STRAWSER	11/19/99	size	dwg no	213			sheet
		chr	M.STRAWSER	11/19/99	6					
		appd	M.STRAWSER	02/29/00						
sheet index	revision sheet									