




PART NUMBER	DIM "A"	DIM "B"	DIM "D"
74773-1132	4.40±0.10	22.00	23.95
74773-1103	3.50±0.05	34.00	35.95
74773-1132LF	4.40±0.10	22.00	23.95
74773-1103LF	3.50±0.05	34.00	35.95



NOTES :

1. BODY MATERIAL: LIQUID CRYSTAL POLYMER 30% GLASS. FLAME RETARDANT ACC. TO UL 94-V0. COLOR: NATURAL.
2. FOR LEAD FREE NUMBERS, ADD AN 'LF' SUFFIX. PART NUMBERS THAT DO NOT END IN 'LF' ARE LEAD FREE. EXAMPLE: 74773-1132LF
3. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF AND THE NONE LF PART NUMBERS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
4. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOUR PHASE REFLOW OVEN.

mat'l. code				surface		tolerance		projection	product family	
SEE NOTES				ASME Y14.5		ASME Y14.5			METRAL	
ltr	ecn no	dr	date	tolerances unless otherwise specified					title	
A	V80842	MDF	5/19/98	angles	1/16	X #3		MM	5 ROW SHROUD	
B	V12696	EPK	11/16/01			XX #18			sheet 1 of 1	
C	V21667	CGD	10/17/02	0° ±2'		.XXX ±051	scale 1:1	sheet 1 of 1		
D	V06-0080	JRV	3/15/06	dr	M. FETROW	5/19/98		sheet 1 of 1		
E	V06-0622	JRV	2006-06-26	eng	C. PENDLETON	5/19/98		sheet 1 of 1		
				chr	D. McCLUNE	5/19/98		sheet 1 of 1		
				appd	C. PENDLETON	5/19/98	sheet 1 of 1			
sheet index	revision sheet	E	1					type CUSTOMER Drawing		