



PRODUCT NUMBER
85835-XYX
85835-XYXLF




PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-9YY	TELCORDIA CO	-
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9

mat'l code				SEE NOTES				tolerances unless otherwise specified				CUSTOMER		FCj		www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3				COPY		projection	title		METRAL POWER HEADER		code	
H	V02643	JWS	10/18/00		0.XX ±0.13				MM			1 MOD, 5 ROW PRESS-FIT		213			
J	V11713	JWS	07/05/01		.XXX ±.051				2:1			product family		METRAL		sheet	
K	V12474	LSS	10/10/01	angles	0° ±2°				scale		A		85835		1 of 3		
L	V04-0283	DAI	04/05/04	dr	T.BRUNGARD	11/19/99	MM		A		85835		1 of 3				
M	V05-0750	VS	08/22/05	engr	M.STRAWSER	11/19/99	MM		A		85835		1 of 3				
N	V06-0569	DCH	2006-06-13	chr	M.STRAWSER	11/19/99	MM		A		85835		1 of 3				
				appd	M.STRAWSER	02/29/00	MM		A		85835		1 of 3				
sheet index		revision sheet		N	N	N											
		1 2															

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCj. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCj. Copyright FCj.

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.



REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE  
SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.30
P02	7.25	4.30
P03	8.00	4.30
P04	6.50	13.60
P05	7.25	13.60
P06	8.00	13.60
P13	6.50	12.95
P16	5.00	4.30
P37	8.00	15.60

NOTES:

- FOR DIM A, AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS.  
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:  
PHOSPHOR BRONZE
- PLATING ON PRESS-FIT TAIL:  
85835-XYX IS SnPb.  
85835-XYXLF IS Sn (LEAD FREE) PLATING ON CONTACT AREA  
CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180.  
APPLICATION SEPCIFICATION BUS-20-075.
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS ON LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- FOR LEAD FREE PART NUMBERS, ADD AN 'LF' SUFFIX  
EXAMPLE: 85835-X01LF
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		projection	title METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT
N					0.XX ±0.13	MM			
					.XXX ±0.051	2:1			
				angles	0° ±2°	scale		product family METRAL	code 213
				dr	T.BRUNGARD	11/19/99	A		
				engr	M.STRAWSER	11/19/99			
				chr	M.STRAWSER	11/19/99			
				appd	M.STRAWSER	02/29/00			
sheet index	revision sheet								

cage code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2			1	2			1	2			1	2
85835-X01 SEE NOTE 10 LEAD FREE OPTION	E	P03	P03	85835-X05 SEE NOTE 10 LEAD FREE OPTION	E	P06	P06	85835-X09 SEE NOTE 10 LEAD FREE OPTION	E	P01	P01	85835-X13 SEE NOTE 10 LEAD FREE OPTION	E	P16	P16
	D	P02	P02		D	P05	P05		D	P02	P02		D	-	-
	C	P01	P01		C	P04	P04		C	P03	P03		C	P01	P01
	B	-	-		B	P04	P04		B	-	-		B	-	-
	A	P03	P03		A	P04	P04		A	P03	P03		A	P03	P03
85835-X02 SEE NOTE 10 LEAD FREE OPTION	E	P05	P05	85835-X06 SEE NOTE 10 LEAD FREE OPTION	E	P03	P03	85835-X10 SEE NOTE 10 LEAD FREE OPTION	E	P02	P02	85835-X14 SEE NOTE 10 LEAD FREE OPTION	E	P13	P13
	D	P05	P05		D	P03	P03		D	-	-		D	P13	P13
	C	P06	P06		C	P04	P04		C	P01	P01		C	P05	P05
	B	P05	P05		B	P04	P04		B	P01	P01		B	P37	P37
	A	P05	P05		A	P03	P03		A	P01	P01		A	P37	P37
85835-X03 SEE NOTE 10 LEAD FREE OPTION	E	P01	P01	85835-X07 SEE NOTE 10 LEAD FREE OPTION	E	P03	P03	85835-X11 SEE NOTE 10 LEAD FREE OPTION	E	-	-				
	D	P01	P01		D	P03	P03		D	P03	P03				
	C	P01	P01		C	P03	P03		C	P02	P02				
	B	P02	P02		B	P03	P03		B	P01	P01				
	A	P01	P01		A	P03	P03		A	P03	P03				
85835-X04 SEE NOTE 10 LEAD FREE OPTION	E	P03	P03	85835-X08 SEE NOTE 10 LEAD FREE OPTION	E	P01	P01	85835-X12 SEE NOTE 10 LEAD FREE OPTION	E	P03	P03				
	D	P02	P02		D	P03	P03		D	P03	P03				
	C	P01	P01		C	P02	P02		C	-	-				
	B	P01	P01		B	P01	P01		B	P03	P03				
	A	P01	P01		A	P01	P01		A	P03	P03				

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
N				angles	0.XX ±0.13	projection		METRAL POWER HEADER	
				dr	.XXX ±.051			1 MOD, 5 ROW PRESS-FIT	
				engr	0° ±2°			product family	
				chr	T.BRUNGARD 11/19/99	MM		METRAL	
				appd	M.STRAWSER 11/19/99	2:1		code	
					M.STRAWSER 11/19/99			213	
					M.STRAWSER 02/29/00			sheet	
sheet index	revision sheet							3	
								cage code	
								22526	