





PRODUCT NUMBER
SEE TABLE



mat'l code				tolerances unless otherwise specified				CUSTOMER		FCI www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ± 0.3			COPY		title	
AH	V06-0569	DCH	2006-06-13		0.XX ± 0.13			projection		METRAL SIGNAL HEADER 1 MOD, 4 ROW PRESS-FIT	
-	-	-	-		.XXX ± 0.051					product family	
AC	V12178	JWS	08/23/01	angles	0° ± 2°					METRAL	
AD	V03-0025	JWS	02/06/03	dr	T.BRUNGARD	11/19/99	MM		code		
AE	V03-1321	DAI	01/15/04	engr	M.STRAWSER	11/19/99	← MM →		213		
AF	V04-0794	TAB	08/13/04	chr	M.STRAWSER	11/19/99	scale		sheet		
AG	V05-0368	DPU	06/01/05	appd	M.STRAWSER	02/29/00	2:1		1 of 6		
sheet index	revision sheet	AH	AH	AH	AH	AH	AH	AH	cage code		
		1	2	3	4	5	6		22526		

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
25	5.75	15.60

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
40	5.00	15.60
41	6.50	15.60
42	7.25	15.60
43	8.00	15.60
44	5.75	12.10
45	6.50	12.10
59	5.00	11.80
60	5.75	11.80
61	6.50	11.80
62	7.25	11.80
63	8.00	11.80

mat'l code				tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com			
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY			title METRAL SIGNAL HEADER 1 MOD, 4 ROW PRESS-FIT		
AH					0.XX ±0.13	projection					
					.XXX ±.051						
				angles	0° ±2°			product family METRAL	code 213		
				dr	T.BRUNGARD	11/19/99				size 88921	sheet 2
				engr	M.STRAWSER	11/19/99					
				chr	M.STRAWSER	11/19/99					
				appd	M.STRAWSER	02/29/00					
sheet index	revision sheet						scale	A			
							2:1				

cage code 22526

Pro/E

PDM: Rev:AH




STATUS: Released

Printed: Dec 29, 2007

PRODUCT NUMBER	DESCRIPTION	PLATING IN PRESS FIT TAIL AREA	PERFORMANCE LEVEL OF PLATING IN CONTACT AREA
88921-NIYY	STANDARD	TIN LEAD	TELCORDIA CO (NXT)
88921-N5YY	STANDARD	TIN LEAD	TELCORDIA UE (NXT)
88921-IYY	STANDARD	TIN LEAD	TELCORDIA CO
88921-2YY	STANDARD	TIN LEAD	TELECOM CLASS
88921-3YY	STANDARD	TIN LEAD	IEC CLASS I
88921-5YY	STANDARD	TIN LEAD	TELCORDIA UE
88921-9YY	STANDARD	TIN LEAD	TELCORDIA CO
88921-NIYYLF	LEAD FREE	TIN	TELCORDIA CO (NXT), IEC CLASS I, SEE NOTES 9 AND 10
88921-N5YYLF	LEAD FREE	TIN	TELCORDIA UE (NXT) SEE NOTES 9 AND 10
88921-IYYLF	LEAD FREE	TIN	TELCORDIA CO , IEC CLASS I, SEE NOTES 9 AND 10
88921-2YYLF	LEAD FREE	TIN	TELECOM CLASS, SEE NOTES 9 AND 10
88921-5YYLF	LEAD FREE	TIN	TELECORDIA UE , SEE NOTES 9 AND 10

NOTES:

1. FOR DIM A, AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS. FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL PHOSPHOR BRONZE:
4. PLATING ON PRESS-FIT AREA :SEE PRODUCT NUMBER TABLE. PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE ON SHEET3.
5. PRODUCT MARKING: PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
7. PRODUCT SPECIFICATION: GS-12-180 APPLICATION SPECIFICATION: BUS-20-073
8. AFTER INSERTION INTO BOARD WITH QUALIFIED TOOLING.
9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-12-008.
10. ALL THE PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING 88921-NI---OR 88921-N5---WILL WITHSTAND EXPOSURE TO 260 DEGREES C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS 88921-NI---AND 88921-N5--- WILL NOT WITHSTAND REFLOW AND THE Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140 DEGREES C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l code		SEE NOTES		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
AH				angles	0.XX ±0.13	projection		METRAL SIGNAL HEADER	
					.XXX ±.051			1 MOD, 4 ROW PRESS-FIT	
				dr	0° ±2°			product family	
				engr	T.BRUNGARD 11/19/99	scale		METRAL	
				chr	x. xxxxxx mm/dd/yy	1:1		code	
				appd	M.STRAWSER 11/19/99	A		size	
					M.STRAWSER 02/29/00			dwg no	
sheet index	revision sheet							88921	
								213	
								sheet	
								3	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCj. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCj. Copyright FCj.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
88921-X01 AND 88921-X01LF	D	-	2	-	2	-	2
	C	-	2	-	2	-	2
	B	-	2	-	2	-	2
	A	-	2	-	2	-	2
88921-X02 AND 88921-X02LF	D	-	6	-	6	-	6
	C	-	6	-	6	-	6
	B	-	6	-	6	-	6
	A	-	6	-	6	-	6
88921-X03 AND 88921-X03LF	D	3	3	3	3	3	3
	C	4	4	4	4	4	4
	B	4	4	4	4	4	4
	A	4	4	4	4	4	4
88921-X04 AND 88921-X04LF	D	7	7	7	7	7	7
	C	8	8	8	8	8	8
	B	8	8	8	8	8	8
	A	8	8	8	8	8	8
88921-X05 AND 88921-X05LF	D	13	2	2	2	2	2
	C	13	2	2	2	2	2
	B	13	2	2	2	2	2
	A	13	2	2	2	2	2
88921-X06 AND 88921-X06LF	D	14	6	6	6	6	6
	C	14	6	6	6	6	6
	B	14	6	6	6	6	6
	A	14	6	6	6	6	6
88921-X07 AND 88921-X07LF	D	15	10	10	10	10	10
	C	15	10	10	10	10	10
	B	15	10	10	10	10	10
	A	15	10	10	10	10	10
88921-X08 AND 88921-X08LF	D	16	2	2	2	2	2
	C	16	2	2	2	2	2
	B	16	2	2	2	2	2
	A	16	2	2	2	2	2
88921-X09 AND 88921-X09LF	D	17	6	6	6	6	6
	C	17	6	6	6	6	6
	B	17	6	6	6	6	6
	A	17	6	6	6	6	6
88921-X10 AND 88921-X10LF	D	18	10	10	10	10	10
	C	18	10	10	10	10	10
	B	18	10	10	10	10	10
	A	18	10	10	10	10	10
88921-X11 AND 88921-X11LF	D	13	16	16	16	16	13
	C	13	16	16	16	16	13
	B	13	16	16	16	16	13
	A	13	16	16	16	16	13
88921-X12 AND 88921-X12LF	D	14	17	17	17	17	14
	C	14	17	17	17	17	14
	B	14	17	17	17	17	14
	A	14	17	17	17	17	14
88921-X13 AND 88921-X13LF	D	15	18	18	18	18	15
	C	15	18	18	18	18	15
	B	15	18	18	18	18	15
	A	15	18	18	18	18	15
88921-X14 AND 88921-X14LF	D	2	2	2	3	2	2
	C	2	2	2	3	2	2
	B	2	1	2	3	2	2
	A	2	2	2	3	2	2
88921-X15 AND 88921-X15LF	D	4	4	4	4	4	2
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	3	3	3	3	3	3
88921-X16 AND 88921-X16LF	D	13	13	13	13	-	13
	C	13	13	13	13	-	13
	B	13	13	13	13	-	13
	A	13	13	13	13	-	13
88921-X17 AND 88921-X17LF	D	25	25	25	25	25	25
	C	25	25	25	25	25	25
	B	25	25	25	25	25	25
	A	25	25	25	25	25	25
88921-X18 AND 88921-X18LF	D	3	1	1	1	1	1
	C	3	1	1	1	1	1
	B	3	1	1	1	1	1
	A	3	1	1	1	1	1
88921-X19 AND 88921-X19LF	D	2	2	2	2	2	2
	C	4	2	4	2	4	2
	B	2	4	2	4	2	4
	A	2	2	2	2	2	2
88921-X20 AND 88921-X20LF	D	19	3	3	3	3	19
	C	19	3	3	3	3	19
	B	19	3	3	3	3	19
	A	19	3	3	3	3	19
88921-X21 AND 88921-X21LF	D	4	4	4	19	19	19
	C	4	4	4	19	19	19
	B	4	4	4	19	19	19
	A	4	4	4	19	19	19
88921-X22 AND 88921-X22LF	D	8	8	8	20	20	20
	C	8	8	8	20	20	20
	B	8	8	8	20	20	20
	A	8	8	8	20	20	20
88921-X23 AND 88921-X23LF	D	4	1	4	1	1	1
	C	4	1	1	1	1	1
	B	4	1	1	1	1	1
	A	4	1	4	1	1	1
88921-X24 AND 88921-X24LF	D	22	22	22	22	22	22
	C	44	44	44	44	44	44
	B	44	44	44	44	44	44
	A	45	45	45	45	45	45
88921-X25 AND 88921-X25LF	D	3	3	3	3	-	
	C	3	3	3	3	-	
	B	3	3	3	3	-	
	A	-	-	3	3	-	

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		www.fcjconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
AH				angles	0.XX ±0.13	projection		METRAL SIGNAL HEADER	
					.XXX ±.051			1 MOD, 4 ROW PRESS-FIT	
					0° ±2°			product family METRAL code	
				dr	T.BRUNGARD 11/19/99	scale		size	
				engr	M.STRAWSER 11/19/99	1:1		dwg no	
				chr	M.STRAWSER 11/19/99			88921	
				appd	M.STRAWSER 02/29/00			sheet	
sheet index	revision sheet							4	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
88921-X26 AND 88921-X26LF	D	19	-	4	-	3	-
	C	19	-	4	-	-	19
	B	-	19	-	4	-	19
	A	-	19	-	4	-	19
88921-X27 AND 88921-X27LF	D	2	2	2	3	4	19
	C	2	2	2	3	4	19
	B	2	2	2	3	4	19
	A	2	2	2	3	4	19
88921-X28 AND 88921-X28LF	D	2	2	2	2	2	19
	C	2	2	2	2	2	19
	B	2	2	2	2	2	19
	A	2	2	2	2	2	19
88921-X29 AND 88921-X29LF	D	3	3	3	3	3	1
	C	3	3	3	3	3	19
	B	3	3	3	3	3	3
	A	3	3	3	3	19	19
88921-X30 AND 88921-X30LF	D	3	3	3	19	3	3
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	3	3	3	3	3	3
88921-X31 AND 88921-X31LF	D	3	3	3	3	3	1
	C	3	3	3	3	3	19
	B	3	3	3	3	3	3
	A	3	3	3	3	19	19
88921-X32 AND 88921-X32LF	D	6	6	6	6	6	20
	C	6	6	6	6	6	20
	B	6	6	6	6	6	20
	A	6	6	6	6	6	20
88921-X33 AND 88921-X33LF	D	3	3	3	3	3	1
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	19	19	19	19	19	19
88921-X34 AND 88921-X34LF	D	6	6	6	6	6	6
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	7	7	7	6	6	5
88921-X35 AND 88921-X35LF	D	-	3	-	3	-	3
	C	3	-	3	-	3	-
	B	-	3	-	3	-	3
	A	3	-	3	-	3	-
88921-X36 AND 88921-X36LF	D	-	4	-	4	-	4
	C	4	-	4	-	4	-
	B	-	4	-	4	-	4
	A	4	-	4	-	4	-
88921-X37 AND 88921-X37LF	D	-	19	-	19	-	19
	C	19	-	19	-	19	-
	B	-	19	-	19	-	19
	A	19	-	19	-	19	-
88921-X38 AND 88921-X38LF	D	-	59	-	59	-	59
	C	59	-	59	-	59	-
	B	-	59	-	59	-	59
	A	59	-	59	-	59	-
88921-X39 AND 88921-X39LF	D	-	60	-	60	-	60
	C	60	-	60	-	60	-
	B	-	60	-	60	-	60
	A	60	-	60	-	60	-
88921-X40 AND 88921-X40LF	D	-	61	-	61	-	61
	C	61	-	61	-	61	-
	B	-	61	-	61	-	61
	A	61	-	61	-	61	-
88921-X41 AND 88921-X41LF	D	-	62	-	62	-	62
	C	62	-	62	-	62	-
	B	-	62	-	62	-	62
	A	62	-	62	-	62	-
88921-X42 AND 88921-X42LF	D	-	63	-	63	-	63
	C	63	-	63	-	63	-
	B	-	63	-	63	-	63
	A	63	-	63	-	63	-
88921-X43 AND 88921-X43LF	D	-	5	-	5	-	5
	C	5	-	5	-	5	-
	B	-	5	-	5	-	5
	A	5	-	5	-	5	-
88921-X44 AND 88921-X44LF	D	-	6	-	6	-	6
	C	6	-	6	-	6	-
	B	-	6	-	6	-	6
	A	6	-	6	-	6	-
88921-X45 AND 88921-X45LF	D	-	7	-	7	-	7
	C	7	-	7	-	7	-
	B	-	7	-	7	-	7
	A	7	-	7	-	7	-
88921-X46 AND 88921-X46LF	D	-	8	-	8	-	8
	C	8	-	8	-	8	-
	B	-	8	-	8	-	8
	A	8	-	8	-	8	-
88921-X47 AND 88921-X47LF	D	-	20	-	20	-	20
	C	20	-	20	-	20	-
	B	-	20	-	20	-	20
	A	20	-	20	-	20	-
88921-X48 AND 88921-X48LF	D	-	40	-	40	-	40
	C	40	-	40	-	40	-
	B	-	40	-	40	-	40
	A	40	-	40	-	40	-
88921-X49 AND 88921-X49LF	D	-	25	-	25	-	25
	C	25	-	25	-	25	-
	B	-	25	-	25	-	25
	A	25	-	25	-	25	-
88921-X50 AND 88921-X50LF	D	-	41	-	41	-	41
	C	41	-	41	-	41	-
	B	-	41	-	41	-	41
	A	41	-	41	-	41	-

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCJ	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fcjconnect.com	
AH				angles	0.XX ±0.13	projection		title	
					.XXX ±.051			METRAL SIGNAL HEADER	
					0° ±2°			1 MOD, 4 ROW PRESS-FIT	
		dr	T.BRUNGARD	11/19/99		MM		product family	
		enrg	M.STRAWSER	11/19/99		←		METRAL	
		chr	M.STRAWSER	11/19/99		→		code	
		appd	M.STRAWSER	02/29/00		scale		213	
						1:1		sheet	
sheet index	revision sheet							5	



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X51 AND 88921-X51LF	D	-	42	-	42
	C	42	-	42	-
	B	-	42	-	42
	A	42	-	42	-

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X56 AND 88921-X56LF	D	-	12	-	12
	C	12	-	12	-
	B	-	12	-	12
	A	12	-	12	-

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X61 AND 88921-X61LF	D	7	6	6	6
	C	7	6	5	7
	B	7	6	6	6
	A	7	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X52 AND 88921-X52LF	D	-	43	-	43
	C	43	-	43	-
	B	-	43	-	43
	A	43	-	43	-

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X57 AND 88921-X57LF	D	-	21	-	21
	C	21	-	21	-
	B	-	21	-	21
	A	21	-	21	-

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X62 AND 88921-X62LF	D	19	-	4	-
	C	19	-	4	-
	B	-	19	-	4
	A	-	19	-	4

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X53 AND 88921-X53LF	D	-	9	-	9
	C	9	-	9	-
	B	-	9	-	9
	A	9	-	9	-

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X58 AND 88921-X58LF	D	20	6	7	7
	C	20	7	7	7
	B	20	7	7	7
	A	20	7	5	7

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X54 AND 88921-X54LF	D	-	10	-	10
	C	10	-	10	-
	B	-	10	-	10
	A	10	-	10	-

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X59 AND 88921-X59LF	D	1	1	2	1
	C	1	1	2	1
	B	1	1	2	1
	A	1	1	2	1

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X55 AND 88921-X55LF	D	-	11	-	11
	C	11	-	11	-
	B	-	11	-	11
	A	11	-	11	-

METRAL P/N	ROW	CONTACT CODE MOD. I			
		1	2	3	4
88921-X60 AND 88921-X60LF	D	2	2	2	3
	C	2	2	2	3
	B	2	2	2	3
	A	2	2	2	3

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
AH					0.XX ±0.13	projection		METRAL SIGNAL HEADER	
					.XXX ±.051			1 MOD, 4 ROW PRESS-FIT	
				angles	0° ±2°			product family	
				dr	T.BRUNGARD	11/19/99	MM		METRAL
				engr	M.STRAWSER	11/19/99			code
				chr	M.STRAWSER	11/19/99	size		213
				appd	M.STRAWSER	02/29/00	dwg no		6
sheet index		revision sheet		scale		1:1		A	
								88921	
								cage code	
								22526	