






PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM'A'
89036-X01/X01LF	1.6	2.90
89036-X11/X11LF	2.4	3.53



PRODUCT AFTER PC BOARD APPLICATION.







- NOTES:
- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETARDANT ACC. UL 94-V0
  - 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
  - 3 PLATING SOLDER TAILS 2-8  $\mu$ m SnPb 90-97 OR 2-8  $\mu$ m PURE Sn
  - 4 INDICATED HOLES ARE UNPLATED.
  - 5 PRODUCT MARKING: PART NUMBER & BATCH ID.
  - 6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
  - 7 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 .
  - 8 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL:
-1YY/1YYLF	TELCORDIA CD
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL
-9YY/9YYLF	TELCORDIA CD


mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
ltr	ecn	nodr	date	linear	projection	title	www.fciconnect.com
J	0004	0004	041221			RA FEMALE SIGNAL	
K	0006	0478	Denh	11/23/06		24 mm PRESS PEG	
L	0007	0071	Denh	05/25/07	angles		
M	0008	0071	TER	8/26/08	dir	H.Boulinegt	930202
						engr	H. Boulinegt
						chr	Slee
						appd	J.Vintjes
sheet	revision	M	M	M	M	scale	5d1
Index	sheet	1	2	3			
						product family	METRAL(tn)
						size	dwg no
						A2	89036
						code	213
						sheet	1 of 3

All rights strictly reserved. Reproduction or issue in any form without written authority from the proprietor. FCI Inc.

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89036-X02/X02LF	1.6	2.90
89036-X12/X12LF	2.4	3.53



14.64 REF. SEE NOTE 6



PRODUCT AFTER PC BOARD APPLICATION.

PC BOARD THICKNESS ±0.20  
SEE TABLE

- NOTES:
- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETARDANT ACC. UL 94-V0
  - TERMINAL MATERIAL: PHOSPHOR BRONZE.
  - PLATING SOLDER TAILS 2-8 μm SnPb 90-97 OR 2-8 μm PURE Sn
  - INDICATED HOLES ARE UNPLATED.
  - PRODUCT MARKING: PART NUMBER & BATCH ID.
  - SET BACK FOR PRESS BLOCK.
  - DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
  - TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD
  - THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
  - THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

RECOMMENDED HOLE PATTERN,  
COMPONENT SIDE.





PLATING CONTACT AREA:

DASH NR:	PERFORMANCE LEVEL:
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL
-9YY/9YYLF	TELCORDIA CO


mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
l	tr	ec	n	n	dr	date	www.fciconnection.com
linear				projection		title	
angles				⊕		RA FEMALE SIGNAL	
dir	di	de	bil	970529	product family		code
engr	P. Schalk	970529	mm		METRAL(tm)		213
chr	P. Schalk	970529	scale		size		dwg no
app	H. Coolmans	970529	5d		A2		89036
sheet	revision	sheet					
Index	sheet	sheet					

All rights strictly reserved. Reproduction or use in any form without written authority from the proprietor. FCI Inc.

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM "A"
89036-X03/X03LF	1.6	2.90
89036-X13/X13LF	2.4	3.53



PRODUCT AFTER PC BOARD APPLICATION.



- NOTES:
- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETARDANT ACC. UL 94-V0
  - TERMINAL MATERIAL: PHOSPHOR BRONZE.
  - PLATING SOLDER TAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn
  - INDICATED HOLES ARE UNPLATED.
  - PRODUCT MARKING: PART NUMBER & BATCH ID.
  - DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
  - THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
  - THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL:
-1YY/1YYLF	TELCORDIA CD
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL
-9YY/9YYLF	TELCORDIA CD

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY		
ltr.ecn no.dr date	linear	projection	title RA FEMALE SIGNAL	
	angles		24 mm PRESS PEG	
	dr Heaven Cen 11/23/06		product family METRAL(tn)	code 213
	engr Collins Lu 11/23/06	mm	size dwg no	sheet 3 of-
	chr Beer Fu 11/23/06	scale 5:1	89036	
	app Joseph Hsla 11/23/06			
sheet revision				
Index sheet				

All rights strictly reserved. Reproduction or issue in any form without written authority from the proprietor. Property of FCI Inc. © FCI Inc.

