

CK1,6-ED-ST-POF

Order No.: 1884995

The illustration shows female and male contact versions

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1884995>

Fiber optic male contact POF, turned, for VC-D contact carriers

Commercial data

EAN	4017918172770
Pack	50 Pcs.
Customs tariff	85389099
Weight/Piece	0.000787 KG
Catalog page information	Page 444 (PC-2007)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Electrical characteristics

Note	For VC-D and HC-M12, D, DD contact carrier
------	--

Mechanical characteristics

Insertion/withdrawal cycles	≥ 500
-----------------------------	-------

Material data

Contact material	Nickel silver
------------------	---------------

Certificates / Approvals

Approval logo



requested approbations

Certification	GOST
---------------	------

Accessories

Item	Designation	Description
General		
1636800	POLFOL 1 MIC-POF	Polishing foil for POF contacts
1636813	POLPAP 1500-POF	Polishing paper for POF contacts
1884869	VC-EW 1,6	Contact removal tool, for turned and rolled CK- 1.6-... contacts

Tools

1885017	CRIMPFOX-1,6-ED-POF	Crimping pliers, for CK1.6-...POF contacts
1206146	KAMES LWL	Cable knife for polymer fiber, for external sheath
1686122	POLISHER-POF	Polisher, for CK1.6-...POF contacts
2744199	PSM-FO-STRIP	Stripping pliers for polymer fiber, for individual elements

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact
Technical modifications reserved;