

## HC-B 10-SMLD-52/M1PG16

Order No.: 1771422

The illustration shows box mounting base in the versions with double locking latch, single locking latch and with protective cover



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771422>

Box mounting base, with single locking latch, height 52 mm, with screw connection, 1x Pg16, with protective covers

### Commercial data

EAN	4017918036157
Pack	10 Pcs.
Customs tariff	76169910
Weight/Piece	0.27959 KG
Catalog page information	Page 397 (PC-2007)

### Product notes

WEEE/RoHS-compliant since:  
02/17/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data

Design	B10
Height	52 mm
Width	52 mm
Length	93 mm

Housing type	Box mounting base with cover
Type of the screw connection	1x Pg16
Pg screw connection	With
Wrench size, union nut	22 mm
External cable diameter	7.5 mm ... 15 mm
Protective cover	Yes
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Screw connection material	Nickel-plated brass
Cable seal material	NBR
Locking latch material	High-grade steel, handle: PA-GF
Material grip body interlock	PA-GF
Material, protective cover	PA

### Certificates / Approvals

#### Approval logo




#### requested approbations

Certification	GOST
---------------	------

### Drawings

#### Dimensioned drawing



**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact  
Technical modifications reserved;