





LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	OWN	APPROV		
0		RELEASED	01/19/95	DW	DD		
A		REV PER 0010-0254-95	03/24/95	DW	DD		
B		REV PER 0010-1110-95	01/27/95	DW	DD		
C		REV PER 0010-1380-95	11/4/95	DW	DD		
D		REV PER 0410-0091-96	12/19/96	JR	DD		
E		REV PER 0410-0153-96	12/19/96	JR	DD		




- 1 HOUSING: LCP, GLASS FILLED, COLOR: BLACK.
- 2 CONTACT: BERYLLIUM COPPER.
- 3 0.00076[.000030] MINIMUM GOLD ON MATING AREA, 0.00254[.000100] MINIMUM TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127[.000050] MINIMUM NICKEL.
- 4 DIMENSION IN REFERENCE TO LOWEST POINT OF EACH LEAD.
- 5 POINT OF CONTACT 2.3[.091] REF FROM MATING FACE.
- 6 APPLIES TO ALL SOLDER TAILS.
- 7 0.000127[.000005]-0.000203[.000008] GOLD ON MATING AREA, 0.00254[.000100] MINIMUM TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127[.000050] MINIMUM NICKEL.



RECOMMENDED PC BOARD LAYOUT



VIEW Z-Z
SCALE 40:1



PC BOARD LOCATION (REF)
SCALE: 10:1

OBSOLETE	68	146229-2
	68	146229-1
PLATING POSITIONS		PART NUMBER

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHALL BE CONTACTED FOR THE LATEST REVISION.</small>		DATE: 01/19/95 CHK: D. WERTZ DATE: 01/19/95 D. DIXON DATE: 01/19/95 D. DIXON	AMP Incorporated Harrisburg, PA 17105-3508
DIMENSIONS: mm 0 PLC ± 1 PLC ± 2 PLC ±0.13 (.005) 3 PLC ± 4 PLC ± ANGLES 40° 30'	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.13 (.005) 3 PLC ± 4 PLC ± ANGLES 40° 30'	PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	RCPT ASSEMBLY, SURFACE MOUNT, 68 POS, 0.41mm/.016in OFFSET, AMP MEMORY CARD SIZE: A1 CAGE CODE: 00779 DRAWING NO: C=146229 SCALE: 5:1 SHEET: 11 REV: E