




Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire. Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor. Copyright BERG ELECTRONICS by


PRODUCT NO.	
74500-040	
74500-040LF	



- NOTES:
- EJECT FORCE : 3.5 Kg MAX.
 - EJECT TRAVEL: 8.0mm
 - MATERIAL
 - HEADER ASS'Y :
PLASTIC : HOUSING ...LCP UL94V-0 BLACK
PIN : PHOSPHOR BRONZE
 - EJECT MECHANISM ASS'Y :
PLASTIC : GUIDE: POLYPHTHARAMID UL94V-0 BLACK
PUSH ROD: POLYPHTHARAMID UL94V-0 BLACK
PLATE : STAINLESS
EMI CONTACT: PHOSPHOR BRONZE
 - FINISH (PIN)
UNDER PLATING : 0.5µm MIN. Ni
CONTACT AREA : 0.1µm MIN. GOLD OVER
0.5µm MIN. Pd-Ni
SOLDER TAIL : 2.5µm MIN. Sn-Pb (FOR TIN LEAD OPTION)
: 2.5µm MIN. PURE TIN (FOR LEAD FREE OPTION)

5. DIM "X"	4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68	

- IF LEAD FREE P/N THE HOUSING WILL WITHSTAND EXPOSURE TO PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER 260°C APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
- IF LEAD FREE P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
- LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION





mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn no.	dr	date	linear	± 0.30	projection	title
A	T70405	W L	09/23/97				EJECTOR HEADER ASS'Y
B	T80096	W L	02/17/98				68POS. R/A TYP 1/2/3
C	T03-0326	W L	08/14/03	angles	± 2°		
D	N05-0127	W B	05/11/05	dr	WENDY CHEN 07/30/97	unit	product family
				enqr	JOSEPH HSIA 07/30/97	mm/inch	PCMCIA
				chr	JOSEPH HSIA 07/30/97	scale	code
				appd	JENN TSAO 07/30/97	1.6:1	
sheet	revision	D	D				size
index	sheet	1	2				dwg no.
							74500
							sheet
							1 OF 2

Tous droits strictement réservés. Reproduction ou communication à des tiers int
 sans autorisation écrite du propriétaire.
 propriété de BERG ELECTRONICS
 Droits de reproduction BERG ELECTRONICS by



All rights strictly reserved. Reproduction or issue to third parties in any for
 without written authority from the proprietor.
 Copyright BERG ELECTRONICS by

PRODUCT NO.
74500-000
74500-000LF



- NOTES:
- MATERIAL
 - HEADER ASS'Y :
 PLASTIC : HOUSING ...LCP UL94V-0 BLACK
 PIN : PHOSPHOR BRONZE
 - EJECT MECHANISM ASS'Y :
 PLASTIC : GUIDE: POLYPHTHARAMID UL94V-0 BLACK
 PLATE : STAINLESS
 EMI CONTACT: PHOSPHOR BRONZE
 - FINISH (PIN)
 UNDER PLATING : 0.5µm MIN. Ni
 CONTACT AREA : 0.1µm MIN. GOLD OVER
 0.5µm MIN. Pd-Ni
 SOLDER TAIL : 2.5µm MIN. Sn-Pb(FOR TIN LEAD OPTION)
 : 2.5µm MIN. PURE TIN (FOR LEAD FREE OPTION)
 - DIM "X"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68
 - IF LEAD FREE P/N.THE HOUSING WILL WITHSTAND EXPOSURE TO PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER 260°C APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
 - IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
 - LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION



mat'l code	tolerance unless otherwise specified	CUSTOMER COPY	 www.fciconnect.com
rev. ecn no. dr date	± 0.30	projection	
D	linear	projection	title EJECTOR HEADER ASS'Y 68POS. R/A TYP 1/2/3
	angles ± 2°	product family	PCMCIA
	dr WENDY CHEN 02/17/98	unit	code
	enr JOSEPH HSIA 02/17/98	mm/inch	size
	chr JOSEPH HSIA 02/17/98	scale	74500
	appd JENN TSAO 02/17/98	1.6:1	sheet 2 of
sheet revision			
index sheet			