



- NOTES:**
1. PROTRUSION OF BRIDGE TERMINAL FROM HOUSING IS 0.08 MAX.
  2. POLISHED SURFACE FINISH IN SHADED AREA.
  3. LETTERING 1.8 HIGH & RAISED BY 0.15.
  4. SEE PRODUCT SPECIFICATION PS-99020-0071.
  5. PACKING: LOOSE IN BAG.
  6. PART I.D. TO BE 0.8 HIGH & RECEIVED 0.1 BELOW SURFACE.
  7. MOLEX LOGO 'MXI' & CAVITY NUMBER '#' TO BE 1.0 HIGH & RAISED 0.1max.
  8. BRIDGE TERMINAL MUST NOT PROTRUDE BEYOND EDGES SHOWN
  9. APPLICABLE DIMENSIONS FOR PROCESS CAPABILITY STUDY

ITEM	COMPONENT	QTY	MATERIAL
▽	TERMINAL	1	0.15 PHOSPHOR BRONZE 0.1um MIN Au OVER Pd/Ni IN CONTACT AREA
▽	HOUSING	1	GF PBT, BLACK

6	K
5	F
4	G
3	J
2	G
1	M

MODIFY DIMENSION EC NO: E2009500317 DRAWN:FDUGGAN 2004/11/29 CHKD: 2004/11/29 APPR:EFOLAN 2004/11/30	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± --- ± ---	DRAWN BY FINDORAK	DATE 00/08/28	TITLE CARD HOLDER	
	▽=0	3 PLACES ± --- ± ---	CHECKED BY DHANNON	DATE 00/08/28	MOLEX MOLEX INCORPORATED	
		2 PLACES ± 0.05 ± ---	APPROVED BY MWILHITE	DATE 00/08/28	DOCUMENT NO. 91236-0001	SHEET NO. 1 OF 6
		1 PLACE ± 0.10 ± ---	MATERIAL NO. 91236-0001		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
		ANGULAR ± 2 °	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			