






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAR, 2007.
 © COPYRIGHT 2007 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J		B	REVISED PER ECR-07-016171	10JUL07	SA.Y S.Y



HOW TO MATE AND UNMATE



(APPLIED TO SHEET 1-2)

- MATERIAL ; HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0
CONTACT: COPPER ARROY
LOCK LEVER: STAINLESS STEEL
 - FINISH ; CONTACT AREA: GOLD PLATING ON ALL OVER NICKEL.
SOLDERING AREA: GOLD FLASH PLT.
LOCK LEVER: TIN PLATING.
- ⚠ MECHANICAL KEY POSITION OF CONNECTOR SEE TABLE.
 - ⚠ COPLANARITY : 0.1 MAX.
 - ⚠ THE FLOATING VALUE BY SOLDERING IS NOT INCLUDED.
 - ⚠ NOT MATING CONDITION.
 - ⚠ IN CASE OF MODULE BOARD LOCK AND EJECT, LATCH MAXIMUM WIDTH: 75mm.
 - ⚠ TOLERANCES NON-CUMULATIVE.
 - ⚠ CARD GUIDE AND STRUT COMPONENT KEEP-OUT ZONE.
 - ⚠ [] INSIDE MUST BE RESIST COAT EXCEPT SOLDER PATTERN.

GENERAL TOLERANCE

10 ≥	±0.2
30 ≥ > 10	±0.3
100 ≥ > 30	±0.5
ANGLES	±3°



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
MATERIAL	4 PLC ±
	ANGLES ±
	FINISH ±

1.8V (DDR2)	17.55	2.4	2.7	200	1981276-4
POWER SUPPLY (TYPE)	D5	D4	D3	POS	PART NO.
DWN LEO ZHOU 07MAR07	Tyco Electronics Corporation Kawasaki, Japan				
CHK T.FUMIKURA 07MAR07					
APVD K.IKEGAMI 07MAR07	NAME				
PRODUCT SPEC	DDR SODIMM SOCKET 0.6mm PITCH 200POS				
APPLICATION SPEC	5.2H STD TYPE				
	TO FIT AMC APPLICATIONS				
WEIGHT 4.7g	SIZE A3	CAGE CODE 00779	DRAWING NO. C-1981276	RESTRICTED TO	
CUSTOMER DRAWING	SCALE 2:1	SHEET 1 of 4	REV B		

LOC	DIST	REVISIONS		
J		P	LTR	DESCRIPTION
				DATE
				DWN
				APVD
		SEE SHEET 1		

REFERENCE P.C. BOARD PATTERN LAYOUT (CONNECTOR MOUNTING SIDE)




STD TYPE


1.8V	17.55	2.4	2.7
POWER SUPPLY	D5	D4	D3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics		Tyco Electronics Corporation	
DIMENSIONS: MM		CHK	Kawasaki, Japan			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME		DDR SODIMM SOCKET 0.6mm PITCH 200POS	
0 PLC ±		PRODUCT SPEC	APPLICATION SPEC		5.2H STD TYPE	
1 PLC ±		APVD	DRAWING NO		TO FIT AMC APPLICATIONS	
2 PLC ±		APVD	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ±		APVD	A3	00779	C-1981276	
4 PLC ±		APVD	SCALE		SHEET	REV
ANGLES ±		APVD	2:1		2 OF 4	B
FINISH		APVD	CUSTOMER DRAWING			

LOC		DIST		REVISIONS			
J		P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			







DETAIL F
SCALE 8:1



(APPLIED TO SHEET 3)

1. TOLERANCES ON ALL DIMENSIONS ± 0.15 UNLESS OTHERWISE SPECIFIED.
 2. P.C. BOARD THICKNESS APPLIES ACROSS TABS AND INCLUDES PLATING AND/OR METALIZATION.
 3. FINISH OF PAD : GOLD PLATING 0.00076 MIN. OVER Ni PLATING 0.002MIN.
- ▲ NO BURR
 ▲ CHAMFER 0.25 MAX x 45° IF EXIST.







RECOMMENDED MATING P.C.B CONFIGURATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN
DIMENSIONS: MM		CHK
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD
0 PLC	±	PRODUCT SPEC
1 PLC	±	APPLICATION SPEC
2 PLC	±	WEIGHT
3 PLC	±	CUSTOMER DRAWING
4 PLC	±	
ANGLES	±	
FINISH	±	


31.75	1.8V	17.55	2.4	2.7
25.4	POWER SUPPLY	D5	D4	D3
H	Tyco Electronics Corporation Kawasaki, Japan			
NAME DDR SODIMM SOCKET 0.6mm PITCH 200POS 5.2H STD TYPE TO FIT AMC APPLICATIONS				
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
A3	00779	C-1981276	-	
SCALE 1:1		SHEET 3 OF 4		REV B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION MAR ,2007.
 © COPYRIGHT 2007 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J		SEE SHEET 1			



- (APPLIED TO SHEET 4)
1. THE DIRECTION OF EACH CONNECTOR ON A TRAY IS REFERRED TO THIS DRAWING.
 2. GENERAL TOLERANCE: ±0.5



20EA/TRAY	1981276-4
QTY	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics Corporation Kawasaki, Japan		
DIMENSIONS: MM		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME		
0 PLC ± 0.5		PRODUCT SPEC	DDR SODIMM SOCKET 0.6mm PITCH 200POS		
1 PLC ± 0.5		APPLICATION SPEC	5.2H STD TYPE		
2 PLC ± 0.5		WEIGHT	SIZE	CAGE CODE	DRAWING NO
3 PLC ± 0.5		CUSTOMER DRAWING	A3	00779	C-1981276
4 PLC ± 0.5			SCALE	SHEET	REV
ANGLES ± 3°			1:2	4 OF 4	B
FINISH					