



RECOMMENDED P.C.B LAYOUT DIMENSION


|   |                               |   |                      |                            |                      |                              |                        |                    |   |
|---|-------------------------------|---|----------------------|----------------------------|----------------------|------------------------------|------------------------|--------------------|---|
| <b>ADD REMARK</b><br>EC NO: SH2005-0167<br>DRAWN: JIAN<br>CHKD:GRATE<br>APPR: YIYAP | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)   |                      | DIMENSION STYLE<br>MM ONLY | SCALE<br>3:1         | DESIGN UNITS<br>METRIC       | THIRD ANGLE PROJECTION |                    |   |
|   |                               | 4 PLACES ± --- ± ---  | 3 PLACES ± --- ± --- | 2 PLACES ± 0.25 ± ---      | 1 PLACE ± 0.25 ± --- | ANGULAR ± 3 °                | DRAWN BY<br>MAX        | DATE<br>2003/02/13 | TITLE<br>SD/IO CARD CONN.<br>REVERSE TYPE WITH<br>PUSH PUSH |
|   |                               | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS  |                      | SEE SHEET 1                | MATERIAL NO.         | DOCUMENT NO.<br>SD-67913-001 | SHEET NO.<br>2 OF 3    | MOLEX INCORPORATED |   |
|   |                               | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                      |                            |                      |                              |                        |                    |   |



- NOTES**
1. NUMBER OF CONNECTORS: 300 PCS/REEL
  - 2.



3. PEEL OFF FORCE OF TOP TAPE: 0.1~1.3 N (10.2~130gf)  
 PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)  
 (PEEL OFF SPEED: 300mm/min.REF.)



4. PACKAGING DRAWING REFERS TO PK-67913-001.

|  |  |                                      |   |                      |                                   |                      |                               |                        |                              |   |
|--|--|--------------------------------------|---|----------------------|-----------------------------------|----------------------|-------------------------------|------------------------|------------------------------|---|
| <b>ADD REMARK</b><br>EC NO: SH2005-0167<br>DRAWN: JIAN<br>CHKD: GRATE<br>APPR: YIYAP | 2004/12/08<br>2004/12/08<br>2004/12/10 | <b>QUALITY SYMBOLS</b><br>▽=0<br>▽=0 | <b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b>  |                      | <b>DIMENSION STYLE</b><br>MM ONLY | <b>SCALE</b><br>1:1  | <b>DESIGN UNITS</b><br>METRIC | THIRD ANGLE PROJECTION |                              |   |
|  |  |                                      | 4 PLACES ± --- ± ---  | 3 PLACES ± --- ± --- | 2 PLACES ± 0.25 ± ---             | 1 PLACE ± 0.25 ± --- | ANGULAR ± 3 °                 | DRAWN BY<br>MAX        | DATE<br>2003/02/13           | TITLE<br>SD/IO CARD CONN.<br>REVERSE TYPE WITH<br>PUSH PUSH |
|  |  |                                      | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS  |                      | SEE SHEET 1                       | SD-67913-001         | MATERIAL NO.<br>ERICK         | DATE<br>2003/02/13     | DOCUMENT NO.<br>SD-67913-001 | SHEET NO.<br>3 OF 3   |
|  |  |                                      | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                      |                                   |                      |                               |                        |                              |   |