




DATE	REV	ECN	APP'D. BY
02-10-05	A0	-	-
1-17-06	A1	7435	JM



В





.100 [2.54] (8) .050 [1.27] (9) -.100 [2.54] ø.035 [0.89] ±.003 [0.08] (10) **♦** Ø.006 [0.15] .250 [6.35] ø .128 [3.25] .125 [3.18] -.450 [11.43]<del>--</del> ф Ø.006 [0.15]

> P.C.B. RECOMMENDED HOLE LAYOUT SEEN FROM COMPONENT SIDE

ALL CENTERLINE DIMENSIONS ARE BASIC.

## NOTES:

- 1. CONNECTOR MATERIALS: HOUSING: THERMOPLASTIC UL94 V-0 CONTACTS: COPPER ALLOY CONTACT PLATING: SELECTIVE GOLD IN CONTACT AREA SEE CHART FOR PART NUMBER
- 2. TOLERANCES COMPLY WITH F.C.C. DIMENSION REQUIREMENTS.
- 3. FOR PRODUCT SPECIFICATIONS SEE PR026-01

30 MICRO-INCHES [0.76um]	SS65100-030F	
CONTACT PLATING IN MATING AREA	PART NUMBER	

RoHS

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE

DIMENSIONS: INCHES [METRIC]

UNLESS OTHERWISE SPECIFIED TOLERANCES ARE ±.005 [0.13]
ANGLES ARE ± 1°

1 OF 1

## Bel Stewart Connector

11118 Susquehanna Trail South Glen Rock, PA 17327-9199 (717) 235-7512 Fax: (717) 235-7954 http://www.stewartconnector.com

TEN CONTACT, TEN POSITION VERTICAL MOUNT JACK

FLANGED

THIS DRAWING AND THE SUBJECT MATTER SHOWN THEREON ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF BEL STEWART CONNECTOR AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT PRIOR WRITTEN CONSENT OF BEL STEWART CONNECTOR. THE SUBJECT MATTER MAY BE PATENTED OR A PATENT MAY BE PENDING.

	DRN BY:	RV0	DAIŁ	02-	-10-05
,	CKD BY:	DHG	DATE	02-	-22-05
	APPD BY:	RGC	DATE	02-	-22-05
	DWG NO.	CT650036F			REV. A1

AutoCAD