



REVISION(S)			
LTR	DESCRIPTION	INIT	APP'D
A	ECN: 0100-02 (NEW RELEASE)	E.T 8/6/02	S.G 8/6/02
B	ECN: 0137-02 (REVISED DIM.)	E.T 10/29/02	S.G 10/29/02
C	ECN: 0076-03 (REVISED DIM.)	E.T 6/2/03	S.G 6/2/03
D	ECN: 0560-0117-03 (CHANGED BOTTOM RAMP ANGLE)	E.T 9/9/03	A.M 9/9/03
E	ECN: 0560-0024-04	E.T 1/28/04	A.M 1/28/04
F	ECN: 0560-0034-04	E.T 2/17/04	A.M 2/17/04
G	ECN: S60-0235-04	E.T 9/22/04	A.M 9/22/04
H	ECR-06-014175-06	E.T 6/14/06	V.K 6/14/06
J	ECD-07-006350	BM 3-19-07	V.K 3-19-07
J1	ECD-07-009406	E.T 6/22/07	V.K 6/22/07
J2	ECR-07-014022	E.T 6/13/07	V.K 6/13/07
K	ECR-07-020034	E.T 8/22/07	V.K 8/22/07



SCALE = 1X

.025 / 25.4 X 25.4

CUSTOMER DRAWING

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

ANODIZED BLACK (MIL-A-8625 TYPE II)	1542656-3
ELECTROLESS NICKEL PER TE SPEC. #112-246-11, 0.076 TO 0.254 μm THICK.	1542656-2
FINISH	PART NUMBER

- NOTES:
- UNLESS OTHERWISE SPECIFIED
 - 1. INTERPRET DRAWING PER ASME Y14.5M - 1994
 - 2. RoHS COMPLIANT AND CERTIFIED.

TOLERANCES UNLESS OTHERWISE SPECIFIED	CAD GENERATED DRAWING.		North Attleboro, Massachusetts 02763			
ANGLES = ± 1°	DO NOT MANUALLY UPDATE		DESCRIPTION	XFP. MSA PCI APPLICATION HEATSINK		
X.X = ± .5	APPROVALS					
X.XX = ± .20	DRAWN: E.TAO	DATE: 3/26/03	DIMENSIONS ARE IN: MILLIMETERS	SCALE: 2:1	PART NO: SEE TABLE	SHEET: 1 OF 1
X.XXX = ± .102	CHECKED: S.G	DATE: 3/26/03	SIZE: A	DWG. NO. C-1542656	REV: K	
MATERIAL: 6063-T5 ALUM.	APP'D BY:		THIRD ANGLE PROJECTION			
FINISH: SEE TABLE			PATH: N:\ENGL\PART NUMBERS\HEAT SINK\			