SFP+ product family: Cages Connectors Cable assemblies

Coming Soon:

• Stacked SFP+ cages (dual row)

DESCRIPTION


SFP+ extends the use of the Small Form-Factor Pluggable (SFP) interconnect up to 10 Gb/s. This system meets the performance requirements of SFF (Small Form-Factor) specification SFF-8431 and supports 8G Fibre Channel and 10G Ethernet applications. The SFP+ product family includes cages, connectors, and copper cable assemblies. Tyco Electronics also offers LC optical connectors and cable assemblies to link with SFP+ transceivers.

APPLICATIONS

- Storage
- Servers
- Networking
- Switches
- Routers
- Hubs
- Network Interface Cards (NICs)

KEY FEATURES & BENEFITS

- SFP+ interconnect system supports data rates of 10 Gb/s
- Connector designed to support 10Gb/s+ signal speeds, backward compatible with SFP
- Both EMI spring and gasket options for cages provide excellent shielding
- All cage configurations are offered with lightpipes for LED applications
- Heatsink optional for single port cages
- Cages are available for PCI card applications (one degree mounting angle)
- Cages accommodate belly-to-belly mounting
- Active and passive copper cable assemblies provide a cost-effective solution for short reach applications.





SFP+ Product Family

PART NUMBERS

Cages with EMI springs



Description	Single port	1x2	1x4	1x6
Cage Assy w/Light Pipes	2007254-1	2007262-1	2007178-1	2007250-1
Cage Assy	2007198-1	2007263-1	2007132-1	2007251-1
Cage Assy w/PCI Heatsink	2007464-1	—	—	_
Cage Assy w/SAN Heatsink	2007464-2	—	—	_
Cage Assy w/Networking Heatsink	2007464-3	—	—	—

Cages with elastomeric gaskets



Description	1x2	1x4	1x6
Cage Assy w/Light Pipes	2007180-1	2007093-1	2007169-1
Cage Assy	2007181-1	2007135-1	2007170-1

Cages for PCI applications

One degree mounting angle to meet requirements of SFF-8075



Description	Solder	Press-Fit	
Cage Assy	2007194-1	2007215-1	
Cage Assy w/PCI Heatsink & Clip	2007193-1	2007277-1	

Connectors



Contact Plating	Part Number
0.76μm (30 min) gold	1888247-1
0.38μm (15 min) gold	1888247-2

Dust plug (non-conductive)

For uses in	Part Number		
Single port cages	1367147-1 or 1761394-1		
Ganged (multi-port) cages	1761394-1		
Dust plug 1761394-1 has narrow width, required for port density in ganged cages.			

EMI plug

- Part Number: 1888901-1
- Springs comply with SFF-8432 requirements for improved pluggable form-factor (IPF)



PART NUMBERS

Direct Attach Copper Cables

- Truly broadband operates from 500 Mb/s up to 10 Gb/s
- · Cost effective solution over Fiber Optic for short reach applications
- Compatible with industry standard • SFP cages
- Active or passive equalization
- Broad range of lengths available •
- EMI shielding •
- · Hot swappable
- · Other options include: custom cable lengths, cross-over cables and labeling

FOR MORE INFORMATION



FOR MORE	Туре	Part Number	Description
INFORMATION		2032237-1	0.5 meter SFP+ Cable Assembly
		2032237-2	1 meter SFP+ Cable Assembly
Technical Documents:	Passive	2032237-3	2 meter SFP+ Cable Assembly
		2032237-6	5 meter SFP+ Cable Assembly
Application Specification 114-13120		1-2032237-1	10 meter SFP+ Cable Assembly
Product Specification 108-2331		1-2032237-6	15 meter SFP+ Cable Assembly
		2032757-1	1 meter SFP+ Cable Assembly
Industry standards:		2032757-5	5 meter SFP+ Cable Assembly
	Active	1-2032757-0	10 meter SFP+ Cable Assembly
Cage and module definition: SFF-8432		1-2032757-5	15 meter SFP+ Cable Assembly
Mating Interface and performance require-		2-2032757-0	20 meter SFP+ Cable Assembly
ments: SFF-8083	Note: Other cable	lengths are available, please	e see Tyco Electronics Customer Drawing

Cage and module definition: SFI Mating Interface and performance ments: SFF-8083 **Electrical Interface Specifications:**

SFF-8431

Product Manager: Mike Walmsley Phone: 717-985-2835 Fax: 1-717-985-2833 Email: mjwalmsl@tycoelectronics.com Technical Support Internet: www.tycoelectronics.com

USA: 1-800-522-6752 Canada: 1-905-470-4425 UK: 44-1908-574289 Japan: 81-44-844-8013

© Copyright 2008 by Tyco Electronics Corporation. TE LOGO and TYCO ELECTRONICS are trademarks. PCI-SIG, PCI Express, PCIe, PCI-X and Conventional PCI are trademarks or registered trademarks of PCI-SIG. All other trademarks mentioned are the property of their respective owners. Dimensions are in millimeters with inches (if shown) in brackets. For more information, see Pluggable Input / Output Solutions Catalog No.1773408-1, contact your Tyco Electronics sales engineer, call 1-800-522-6752, or visit our Website at: http://www.tycoelectronics.com. Specifications subject to change.

⁴⁻¹⁷⁷³⁴⁴⁹⁻⁵⁻PDF-CC&CE-2/08