

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION DEC ,2004.
 © COPYRIGHT 2004 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
E	B	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

COMPONENTS

ITEM	DESCRIPTION	QUANTITY	UNIT
	MAIN BODY (ITEM 1,3,4,6,7 & 8)		
	CENTRE CONTACT (ITEM 2)		
	PUSHER SLEEVE (ITEM 9)		
	CRIMP FERRULES (ITEM 5 & 10)		

ASSEMBLY INSTRUCTION

STEP	DESCRIPTION	DIAGRAMS
STEP 1	1. SLIDE METAL CRIMP FERRULE OVER CABLE	
STEP 2	1. STRIP CABLE TO DIMENSIONS AS SHOWN	
STEP 3	1. FIT CONTACT OVER CENTRE CONDUCTOR TO BUTT AGAINST DIELECTRIC. 2. CRIMP USING TOOL AS NOTES ON PAGE 1.	
STEP 4	1. PRESS SUB-ASSEMBLY INTO BODY, UNTIL CONTACT IS FULLY LOCATED BY AN AUDIBLE CLICK. 2. ENSURE THAT KNURLED HOUSING INSERTS BETWEEN THE DIELECTRIC AND CABLE BRAID.	
STEP 5	1. SLIDE CRIMP FERRULE ALONG THE CABLE UNTIL IT BUTTS AGAINST THE HOUSING BODY. 2. CRIMP USING TOOL AS NOTED ON PAGE 1. 3. CRIMP DIMENSION AS SHOWN.	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.SANDWELL 16JUN04	Tyco Electronics Corporation Bideford, UK, EX39 4HE	
DIMENSIONS: mm		CHK S.PARLOW 15DEC04	NAME BNC STRAIGHT PLUG HEX CRIMP 50 OHM	
TOLERANCES UNLESS OTHERWISE SPECIFIED		APVD F.WHEELER-KING 15DEC04	DRAWING NO A2 00779	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC 108-3435	RESTRICTED TO -	
MATERIAL SEE TABLE		APPLICATION SPEC SEE SHEET 2	SCALE NTS	
FINISH SEE TABLE		WEIGHT -	SHEET 2 OF 2	
		CUSTOMER DRAWING	REV D	