



- MATES WITH RECEPTACLE 207020-1.
- TIN-LEAD OVER NICKEL PER QQ-N-290.
- GOLD FLASH PER MIL-G-45204 OVER 1.27um [.000050] MIN NICKEL PER QQ-N-290 ON ENTIRE CONTACT, WITH 0.76um [.000030] MIN GOLD PER MIL-G-45204 ON ELECTRICAL ENGAGEMENT AREA ONLY.
- ALL CIRCUITS COMMONED TO BUS.
- CONNECTOR IS DIVIDED LENGTHWISE WITH CIRCUITS 1, 2, 5, 6, 9, 10, 13, 14, 17, 18, 21, 22, 25, 26, 29, 30, 33 AND 34 COMMONED, AND CIRCUITS 3, 4, 7, 8, 11, 12, 15, 16, 19, 20, 23, 24, 27, 28, 31, 32, 35 AND 36 COMMONED.
- WILL ACCEPT RING TONGUE TERMINALS, STUD SIZE 10.
- TIN OVER NICKEL PER QQ-N-290.

	DUAL, 18 POSITION	5	7	3	208063-7
	DUAL, 18 POSITION	5	7	7	208063-6
	FULL, 36 POSITION	4	7	7	208063-5
	DUAL, 18 POSITION	5	2	3	208063-4
OBSOLETE	FULL, 36 POSITION	4	2	3	208063-3
	DUAL, 18 POSITION	5	2	2	208063-2
	FULL, 36 POSITION	4	2	2	208063-1
	BUS TYPE	TAIL FINISH	POST FINISH	PART NO	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DRN: D.GELTZ 06/06/92	8-27-92	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
CHK: J.McCLINTON	8-27-92	
DIMENSIONS: INCHES		NAME: A. TRAVIS
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC: -
0 PLC ± -	1 PLC ± -	APPLICATION SPEC: -
2 PLC ± 0.25 [010]	3 PLC ± -	SIZE: A1
4 PLC ± -	ANGLES ± -	CAGE CODE: 00779
FINISH: SEE CALLOUTS	WEIGHT: -	DRAWING NO: C=208063
MATERIAL: SEE CALLOUTS	CUSTOMER DRAWING	RESTRICTED TO: -

SCALE 2:1 SHEET 1 OF 1 REV G