

| PART NO. | ENG. NO. |
|------------|--------------|
| 02-06-2101 | 1560-(P901) |
| 02-06-2103 | 1560-(P901)L |
| 02-06-6101 | 1560-(561) |
| 02-06-6102 | 1560-(561)L |
| 02-06-6118 | 1560-(228) |
| 02-06-6119 | 1560-(228)L |
| 02-06-6116 | 1560-(231) |
| 02-06-6112 | 1560-(231)L |
| 02-06-6100 | 1560-(550) |
| 02-06-6103 | 1560-(550)L |
| 02-06-6105 | 1560-(591) |
| 02-06-6104 | 1560-(591)L |

LEGEND



1560-(****)*

P=PREPLATE
BLANK=POSTPLATE

FORM
BLANK=CHAIN
L=LOOSE

FINISH CODE

- NOTES:
- MATERIAL: BRASS
 - FINISHES:
 - 901 HOT TIN DIP (.00051)/.000020 MIN.
 - *228 SELECT GOLD PLATE (.00075)/.000030 MIN. IN CONTACT AREA, SELECT TIN (.00250)/.000100 MIN. IN CRIMP AREA OVER (.00125)/.000050 MIN. NICKEL OVERALL.
 - *231 SELECT GOLD PLATE (.00125)/.000050 MIN. IN CONTACT AREA, SELECT TIN (.00250)/.000100 MIN. IN CRIMP AREA OVER (.00125)/.000050 MIN. NICKEL OVERALL.
 - 561 SELECT GOLD PLATE (.00076)/.000030 MIN. IN CONTACT AREA, OVER (.00127)/.000050 MIN. NICKEL OVERALL.
 - 591 SELECT GOLD PLATE (.00127)/.000050 MIN. IN CONTACT AREA, OVER (.00127)/.000050 MIN. NICKEL OVERALL WITH (.000025)/.000010 MAX. GOLD FLASH OVERALL.
 - 550 SELECT GOLD PLATE (.00038)/.000015 MIN. IN CONTACT AREA, OVER (.00076)/.000030 MIN. NICKEL OVERALL WITH (.000025)/.000010 MAX. GOLD FLASH OVERALL.
 - * THE PRIMARY SHIPPING CARTON WILL BE LABELED, "COMPLIANT TO RoHS DIRECTIVE" 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC, AND CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD.
 - PRODUCT SPECIFICATION: PS-02-06
 - PACKAGING INFORMATION: NOT AVAILABLE
 - TERMINAL FOR USE WITH (157)/.062 DIA. SERIES HOUSINGS AND WILL ACCEPT 18 THRU 24 AWG WIRE.



| | |
|-----|---|
| AP | REVSE Sn/Pb PLATE REDRAWN TO ME10 UCP2004-2097 RHOLTS 5/07/04 |
| AO | REINSTATE 02066105 UCP2003-1827 ELHAG, 03/02/24 |
| AN | OBSOLETE P/N UCR2002-0270 COMERC 01/9/25 |
| AM1 | ADDED ISO VIEW UCR1998-0228 WANG 98-05-21 |
| AM | REV. & REDRAWN PER ECR 10372 GEP 8-19-87 RW |

| | | | | | | |
|---|-----------------|--|-----------------|-------------------|---|------------------------|
| REFER TO REVISION BLOCK EC NO: 2002/06/2097 DRWNR:RHOLTS 2004/05/14 CHKD: 2004/05/14 APPR:FSMITH 2004/05/18 | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | SCALE 8:1 | DESIGN UNITS INCH | THIRD ANGLE PROJECTION | REVISE ON CAD ONLY |
| | DESCRIPTION | mm INCH | DIMENSION STYLE | TITLE | CRIMP TERMINAL, MALE .062 DIA. FOR 18-24 AWG WIRE | |
| AP | ▽ = 0 | 4 PLACES ± --- ± --- | IN/MM | DRAWN BY GEP | DATE 1987/08/19 | MOLEX INCORPORATED |
| | ▽ = 0 | 3 PLACES ± --- ± .010 | | CHECKED BY RW | DATE 1987/08/19 | |
| | | 2 PLACES ± 0.25 ± .014 | | APPROVED BY RAS | DATE 1987/08/19 | MATERIAL NO. SEE CHART |
| | | 1 PLACE ± 0.35 ± --- | | | | DOCUMENT NO. SD-1560-* |
| | | ANGULAR ±1/2° | | | | SHEET NO. 1 OF 1 |
| | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | | |
| | | | | | | |