




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	E1	REVISED PER ECO-06-002581	20JUN06	SSK JO



SECTION Y-Y  
SCALE 20:1

- △1 POINT OF MEASUREMENT FOR PLATING THICKNESS
- △2 CUSTOMERS APPLICATOR CUT-OFF DIMENSION
- △3 .000100-.000200 TIN-LEAD OVER .000050-.000100 NICKEL
- 4. RECOMMENDED HOLE SIZE - .040±.002 FOR .100 STACKING HEIGHT  
- .050±.002 FOR .050 STACKING HEIGHT
- 5. ALL PARTS MUST MEET SOLDERABILITY SPEC 109-11-5. ALL PARTS MUST MEET SOLDERABILITY SPEC 109-11-1: USING ONE SAMPLE REPEAT 109-11-1 FIVE (5) TIMES FLUXING PRIOR TO EACH DIP.
- △6 MATERIAL: BRASS, #4 HARD PER AMP SPEC 100-86.
- △7 .000100-.000200 MATTE TIN OVER .000050-.000100 NICKEL
- △8 ROHS 2002/95/EC COMPLAINT

△8	△7	5-104126-1
	△3	104126-1
	FINISH	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R BROWN 20MAR01	Tyco Electronics Corporation Harrisburg, Pa 17105-3608		
DIMENSIONS: INCHES		CHK D SIMPSON 21MAR01			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D SIMPSON 21MAR01	NAME		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± - FINISH		PRODUCT SPEC	STACKING POST, MOD II		
MATERIAL △6		APPLICATION SPEC	SIZE A2	CAGE CODE 00779	DRAWING NO C=104126
		WEIGHT	RESTRICTED TO		
		CUSTOMER DRAWING	SCALE 10:1	SHEET 1 OF 1	REV E1