


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

Loc		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	B	REV; EC 0210-0674-95		10-25-95	LM/UTA		
	C	REV PER EC 0320-68-97		06 MAR 97	MB	MM	

- ① ALL DIMENSIONS SHOWN ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.
- ② MATERIAL: 2.54μm [0.00100] MINIMUM TIN PLATED COPPER ALLOY, 0.74-0.79 [0.030±.001] THICK.
- 3. WIRE BARREL ACCEPTS ONE 10 OR 12 AWG STRANDED COPPER WIRE.
- ④ CONTACTS ON REEL SHALL BE CRIMPED USING APPLICATOR TOOL 567256.
- ⑤ LOOSE PIECE CONTACTS SHALL BE CRIMPED USING TOOLS AND DIE SETS LISTED BELOW.
 HAND TOOL: AMP PART NO. 69710
 PNEUMATIC TOOL: AMP PART NO. 69365
 DIE SET 10 AWG: AMP PART NO. 58491-1
 DIE SET 12 AWG: AMP PART NO. 58490-1



2000/REEL	④	556880-2
LOOSE PIECE 200/BOX	⑤	556880-1
DESCRIPTION		PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN D. STRAUSSER 5-30-91	AMP Incorporated Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK B. FOX 8-23-91	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. MILLER 8-26-91	PRODUCT SPEC	
0 PLC ±	①	108-1349		
1 PLC ±		APPLICATION SPEC		
2 PLC ±		114-6044		
3 PLC ±		WEIGHT		
4 PLC ±		-		
ANGLES ±		SIZE		
FINISH	②	A2 00779		
MATERIAL		DRAWING NO		
		C-556880		
CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 1 REV C		