


PRODUCT NO.	PLATING CODE	AWG RANGE	SPRING THICKNESS
75241-032LF	A	22-26	0.17
75241-031LF	A	22-26	0.09
75241-030LF	A	22-26	0.12
75241-029LF	A	28-32	0.17
75241-028LF	A	28-32	0.12
75241-027LF	B	22-26	0.17
75241-026LF	B	22-26	0.09
75241-025LF	B	22-26	0.12
75241-024LF	B	28-32	0.17
75241-023LF	B	28-32	0.12
75241-015LF	C	22-26	0.17
75241-014LF	C	22-26	0.09
75241-013LF	C	22-26	0.12
75241-004LF	C	28-32	0.17
75241-003LF	C	28-32	0.09
75241-002LF	C	28-32	0.12

75241-XXXLF IS SIMILAR TO 75241-XXX, THE SUFFIX 'LF' IS ADDED FOR LEAD FREE IDENTIFICATION.

AWG RANGE	WIRE BARREL			INSULATION BRL.			INSULATION RANGE
	A	B	C	D	E	F	
22-26	1.78	1.78	0.43	1.70	1.93	0.56	0.51-1.14
28-32	1.37	1.47	0.28	1.70	1.93	0.56	0.51-1.14

PLATING CODE	PLATING THICKNESS			UNDER LAYER
	CONTACT AREA	INSIDE BOX	REMAINDER	
A	0.76µm Au	0.2µm Au	GOLD FLASH	1.3µm Ni
B	1.0µm Au	0.2µm Au	GOLD FLASH	1.3µm Ni
C	1.0µm Au	0.2µm Au	0.2µm Au	1.3µm Ni



NOTES:

- 1- MATERIAL BOX: BRASS ASTM B36, ALLOY C26000-H01.
- 2- MATERIAL SPRING: BERYLLIUM COPPER ASTM B194, ALLOY C17200-TF00.
- 3- PART TO BE LUBRICATED TO FACILITATE CRIMPING.
- 4- MAXIMUM BURR ANY EDGE 0.08.
- 5- BOTTOM SURFACE OF TERMINAL SHALL BE WITHIN 0.08 OVER 8.64 REF. LENGTH AS MEASURED ALONG DATUM LINE -E- ESTABLISHED AT C OF 1.37 DIMENSION PERFECT FORM NOT REQUIRED AT MMC.
- 6- TAB CUT-OFF DIMENSION IS VERY CRITICAL WHEN USED IN CONJUNCTION WITH MINI-ROD AND MINI-LATCH HOUSING.
- 7- PART TO MATE WITH 0.64±0.05 SQUARE PIN.
- 8- APPLICATION SPECIFICATIONS:
 - a- BUS-20-025 PRODUCT SPECIFICATION.
- 9- RoHS COMPATIBLE PRODUCT SPECIFICATIONS
 - a- PLATING:
 - "LF" MEANS THE PRODUCT IS LEAD-FREE
 - b- LABELING:
 - MEETS PACKAGING SPECS AS PER GS-14-920
 - c- LEGAL STATEMENT: SEE GS-22-008

THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.

mat'l. code	surface	tolerance	projection	product family
SEE DRAWING	ISO 1302	ISO 406	ISO 101	BERGCON
ltr	ecn no	dr	date	title
C	F20410	OMA	92.08.03	CTW MINI PV
D	F05-0235	DLE	05.09.13	L. Pce SMALL INSULA.
E	F05-0286	DLE	05.11.07	
F	F06-0217	DLE	06.07.11	
G	F08-0160	PNZ	08.04.21	
sheet index	revision sheet			