


SMALL INSULATION CRIMP

NOTES:

1. SINGLE CRIMP TO #18, #16 & #14 AWG WIRE, WITH .031/(0.79) MAXIMUM INSULATION THICKNESS.
2. MATERIAL: .012/(0.30) THICK C26000 BRASS.
3. FINISH: HOT TIN DIP.
4. PRODUCT SPECIFICATION : PSX-44441-9999.
5. NO PORTION OF ONE LOCK TANG BEAM SHALL TOUCH ANY PORTION OF THE OTHER LOCK TANG BEAM.



REF. .470 (11.94)
PROGRESSION SCALE: 2:1

D	REVISED PER UCH1999-0340 98/12/07 LENZ
C	REVISED PER ECN UCR1999-0159 98/09/01 KBP
B	REVISED PER ECN *UR1998-0201 LENZ 98/05/05
A6	REVISED PER ECN *U70921 MARANTO 97/02/07
A5	REVISED PER ECN *U70225 MARANTO 96/08/28
A4	REVISED PER ECN *U60910 96/02/13 MAB
A3	REVISED PER ECN *U50775 95/02/05 MAB
A2	REVISED PER ECN *U50640 95/01/03 KBP
A1	REVISED PER ECN *U50353 94/10/17 MAB
A	REMOVE "X" PER ECN *U50020 94/08/05 MAB

DIMENSIONS SHOWN METRIC (INCH) UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR ± 1/2°		▽ = 0 ▼ = 0		REVISE ONLY ON CAD SYSTEM	
TITLE		PART NO.		DATE	
TERMINAL, RECEPTACLE .125/(3.18) X .020/(0.51) SABRE - F.B.S. - T.P.A.		43375-0001		1 OF 1 94/08/05	
MOLEX INCORPORATED		SHEET NO.		DATE	
LITLLELL, 60532 U.S.A.		1 OF 1		94/08/05	
DRAWN BY: MAB		CHKD. BY: KBP		FILE NAME: SD43375X1	
APP'D. BY: RAS		SCALE: 10:1		DGN	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWG. NO. SD-43375-0001		REV. SIZE	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		CO		C	