


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		R		EC 0G3C 0734 04	16DEC04	BSV	JLG



- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- 2 USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR STRIP ASSEMBLIES SEE PART NUMBER 103957
- 6 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 7 FINISH: CONTACTS: .000015 GOLD IN THE CONTACT AREA, .000050-.000100 BRIGHT TIN-LEAD ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 8 .000015 GOLD IN THE CONTACT AREA, .000050-.000100 MATTE TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL

8	2-104257-4	25	7-103644-4
8	2-104257-3	24	7-103644-3
8	2-104257-2	23	7-103644-2
8	2-104257-1	22	7-103644-1
8	2-104257-0	21	7-103644-0
8	1-104257-9	20	6-103644-9
8	1-104257-8	19	6-103644-8
8	1-104257-7	18	6-103644-7
8	1-104257-6	17	6-103644-6
8	1-104257-5	16	6-103644-5
8	1-104257-4	15	6-103644-4
8	1-104257-3	14	6-103644-3
8	1-104257-2	13	6-103644-2
7	2-104257-4	25	2-103644-4
7	2-104257-3	24	2-103644-3
7	2-104257-2	23	2-103644-2
7	2-104257-1	22	2-103644-1
7	2-104257-0	21	2-103644-0
7	1-104257-9	20	1-103644-9
7	1-104257-8	19	1-103644-8
7	1-104257-7	18	1-103644-7
7	1-104257-6	17	1-103644-6
7	1-104257-5	16	1-103644-5
7	1-104257-4	15	1-103644-4
7	1-104257-3	14	1-103644-3
7	1-104257-2	13	1-103644-2
7	1-104257-1	12	1-103644-1
7	1-104257-0	11	1-103644-0
7	104257-9	10	103644-9
7	104257-8	9	103644-8
7	104257-7	8	103644-7
7	104257-6	7	103644-6
7	104257-5	6	103644-5
7	104257-4	5	103644-4
7	104257-3	4	103644-3
7	104257-2	3	103644-2
7	104257-1	2	103644-1

SUPERSEDED BY 1-103957-1	1-104257-1	12	1-103644-1
SUPERSEDED BY 1-103957-0	1-104257-0	11	1-103644-0
SUPERSEDED BY 103957-9	104257-9	10	103644-9
SUPERSEDED BY 103957-8	104257-8	9	103644-8
SUPERSEDED BY 103957-7	104257-7	8	103644-7
SUPERSEDED BY 103957-6	104257-6	7	103644-6
SUPERSEDED BY 103957-5	104257-5	6	103644-5
SUPERSEDED BY 103957-4	104257-4	5	103644-4
SUPERSEDED BY 103957-3	104257-3	4	103644-3
SUPERSEDED BY 103957-2	104257-2	3	103644-2
SUPERSEDED BY 103957-1	104257-1	2	103644-1

PLATING	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER
---------	---------------------	------------	----------------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L A MAYER 11-4-86	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES		CHK P de Jong 11-12-86		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME	
0 PLC ± - 1 PLC ± - 2 PLC ± .02 3 PLC ± .005 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-25034	RCPT ASSY, AMPMODU MTE, SINGLE ROW, .100 C/L LATCHED & POLARIZED, FOR #22-#26 AWG WIRE SIZE	
MATERIAL: HOUSING: FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK		APPLICATION SPEC 114-25026	SIZE A2	CAGE CODE 00779
FINISH: SEE TABLE		WEIGHT -	DRAWING NO C=103644	
CUSTOMER DRAWING			RESTRICTED TO -	SCALE 4:1 SHEET 1 OF 1 REV R