


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	T	EC 0G3C 0734 04	15DEC04	BSV



CONTACT IDENTIFICATION LETTER "B" (LOCATED IN THIS AREA)

HOUSING (SEE TABLE FOR PART NO)

POSITION #1 INDICATOR (FARSIDE)

Callout	Part No	Posn	Assembly Part No
△A	2-104257-4	25	7-103645-4
△A	2-104257-3	24	7-103645-3
△A	2-104257-2	23	7-103645-2
△A	2-104257-1	22	7-103645-1
△A	2-104257-0	21	7-103645-0
△A	1-104257-9	20	6-103645-9
△A	1-104257-8	19	6-103645-8
△A	1-104257-7	18	6-103645-7
△A	1-104257-6	17	6-103645-6
△A	1-104257-5	16	6-103645-5
△A	1-104257-4	15	6-103645-4
△A	1-104257-3	14	6-103645-3
△A	1-104257-2	13	6-103645-2
△A	2-104257-4	25	2-103645-4
△A	2-104257-3	24	2-103645-3
△A	2-104257-2	23	2-103645-2
△A	2-104257-1	22	2-103645-1
△A	2-104257-0	21	2-103645-0
△A	1-104257-9	20	1-103645-9
△A	1-104257-8	19	1-103645-8
△A	1-104257-7	18	1-103645-7
△A	1-104257-6	17	1-103645-6
△A	1-104257-5	16	1-103645-5
△A	1-104257-4	15	1-103645-4
△A	1-104257-3	14	1-103645-3
△A	1-104257-2	13	1-103645-2
△A	1-104257-1	12	1-103645-1
△A	1-104257-0	11	1-103645-0
△A	104257-9	10	103645-9
△A	104257-8	9	103645-8
△A	104257-7	8	103645-7
△A	104257-6	7	103645-6
△A	104257-5	6	103645-5
△A	104257-4	5	103645-4
△A	104257-3	4	103645-3
△A	104257-2	3	103645-2
△A	104257-1	2	103645-1

SUPERSEDED BY 1-103956-1
 SUPERSEDED BY 1-103956-0
 SUPERSEDED BY 103956-9
 SUPERSEDED BY 103956-8
 SUPERSEDED BY 103956-7
 SUPERSEDED BY 103956-6
 SUPERSEDED BY 103956-5
 SUPERSEDED BY 103956-4
 SUPERSEDED BY 103956-3
 SUPERSEDED BY 103956-2
 SUPERSEDED BY 103956-1

- △1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- △2 USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- △3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- △4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR STRIP ASSEMBLIES SEE PART NUMBER 103956
- △6 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- △7 CONTACTS: .000100-.000200 BRIGHT TIN-LEAD OVER .000050 NICKEL
- △8 .000100-.000200 MATTE TIN OVER .000050 NICKEL

PLATING	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN L A MAYER 11-4-86	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
CHK P de JONG 11-12-86	
APVD P de JONG 11-12-86	
NAME	
DIMENSIONS: INCHES	PRODUCT SPEC 108-25034
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APPLICATION SPEC 114-25026
0 PLC ± -	SIZE CAGE CODE DRAWING NO RESTRICTED TO
1 PLC ± -	A2 00779 C=103645
2 PLC ± .02	SCALE 4:1 SHEET 1 OF 1 REV T
3 PLC ± .005	
4 PLC ± -	
ANGLES ± -	
MATERIAL: HOUSING-FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK; CONTACTS-PHOS BRONZE	FINISH: SEE TABLE
CUSTOMER DRAWING	