




THIS DRA RELEASED FOR PUBLICATION ,19 .
 © COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENTS AND/OR PATENTS PENDING.

LOC	DIST	P	F	ZONE	LTR	DESCRIPTION	DATE	APPROVED
AD	39				B	ECN 1166 REVISED & REDRAWN	-	-
					C	REV PER AR2268	BM 4-89	
					D	REV LOC & DIST AD-4171		3-90 BF
					E	REV PER 0010-0832-93		7-93 JG
					F	REV PER 0010-0782-93		2-16-94 JG
					G	REV PER 0010-1884-93		2-16-94 JG
					H	REV PER 0010-0708-94		5-31-94 JG
					J	REV PER 0010-0810-94		5-31-94 JG
					K	REV PER 0010-0487-95		5-5-95 JG
					L	REV PER 0010-0785-96		1-22-97 JG
					M	REV PER 0310-0412-97		02-FEB-98 JG
					N	REV PER 0G3C-0018-00		19JUL00 KW



HOUSING (SEE TABLE FOR PART NO)

POSITION #1 INDICATOR (FAR SIDE)



- ① CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- ② USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- ③ THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- ④ POINT OF MEASUREMENT FOR PLATING THICKNESS
- ⑤ FOR STRIP ASSEMBLIES SEE PART NUMBER 103975
- ⑥ POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)

SUPERSEDED BY 1-103975-1	1-103688-1	12	1-103686-1
SUPERSEDED BY 1-103975-0	1-103688-0	11	1-103686-0
SUPERSEDED BY 103975-9	103688-9	10	103686-9
SUPERSEDED BY 103975-8	103688-8	9	103686-8
SUPERSEDED BY 103975-7	103688-7	8	103686-7
SUPERSEDED BY 103975-6	103688-6	7	103686-6
SUPERSEDED BY 103975-5	103688-5	6	103686-5
SUPERSEDED BY 103975-4	103688-4	5	103686-4
SUPERSEDED BY 103975-3	103688-3	4	103686-3
SUPERSEDED BY 103975-2	103688-2	3	103686-2
SUPERSEDED BY 103975-1	103688-1	2	103686-1

HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER
2-103688-4	25	2-103686-4
2-103688-3	24	2-103686-3
2-103688-2	23	2-103686-2
2-103688-1	22	2-103686-1
2-103688-0	21	2-103686-0
1-103688-9	20	1-103686-9
1-103688-8	19	1-103686-8
1-103688-7	18	1-103686-7
1-103688-6	17	1-103686-6
1-103688-5	16	1-103686-5
1-103688-4	15	1-103686-4
1-103688-3	14	1-103686-3
1-103688-2	13	1-103686-2
1-103688-1	12	1-103686-1
1-103688-0	11	1-103686-0
103688-9	10	103686-9
103688-8	9	103686-8
103688-7	8	103686-7
103688-6	7	103686-6
103688-5	6	103686-5
103688-4	5	103686-4
103688-3	4	103686-3
103688-2	3	103686-2
103688-1	2	103686-1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON :	DR 05 NOV 1986 L. MAYER
2 PL DEC ± .02	CHK 11/12/86 P. DEJONG
3 PL DEC ± .005	APPD 11/12/86 P. DEJONG
ANGLES ± -	APPD 11/13/86 J. SCHIEFER
MATERIAL: HOUSING- FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK	PRODUCT SPEC 108-25034
CONTACTS- PHOS BRONZE	APPLICATION SPEC 114-25026
FINISH: CONTACTS: .000015 GOLD IN THE CONTACT AREA, .000050-.000100 TIN-LEAD ON THE TERMINATION AREA, ALL OVER .000050 NICKEL	WEIGHT -

AMP AMP INCORPORATED Harrisburg, Pa. 17105	
NAME RCPT ASSY, AMPMODU [®] MTE, SINGLE ROW, .100¢, FOR #22-#26 AWG WIRE SIZE	
SIZE C	F5CM NO 00779
DRAWING NO 103686	SHEET 1 OF 1
SCALE 4:1	