



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
CM	54	B		EC OG3B 0121 05	15 JUL 05	BSV	DB



- 1 MATERIAL: CONNECTOR - NYLON UL94V-2 (WHITE).
CONTACTS - 0.30[.012] THICK COPPER ALLOY
(.00203[.000080] MIN THICK BRIGHT
TIN-LEAD (93/7) OR BRIGHT TIN.)
- 2. CONTACTS ACCEPT 24 AWG WIRE WITH 1.52[.060] MAX
INSULATION DIAMETER.
- 3. CONTACTS MUST ACCEPT 0.64±0.03 [.025±.001]
POST AND REMAIN LOCKED IN POSITION.
- 4 IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY
NOT APPEAR ON ALL ASSEMBLIES.
- 5. DIMENSIONS IN BRACKETS ARE IN INCHES.
- 6. HOUSING FEATURES ARE: CLOSED END WITH LOCKING RAMP.



TIN	12.70 [.500]	5	3-647080-5
	10.16 [.400]	3	3-647080-3
	7.62 [.300]	2	3-647080-2
TIN-LEAD	12.70 [.500]	5	647080-5
	10.16 [.400]	3	647080-3
	7.62 [.300]	2	647080-2
FINISH	DIM A	NO OF CIRCUITS	PART NO

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	R. VESTAL	21 FEB 97	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608
CHK	R. SWING	21 FEB 97	
APVD	R. WILSON	21 FEB 97	
PRODUCT SPEC	108-1050		
APPLICATION SPEC	114-1019		NAME
MATERIAL	1		MTA-100 CONNECTOR ASSEMBLY, 24 AWG, STANDARD, TAPE MOUNTED
FINISH	1		SIZE
CUSTOMER DRAWING			CAGE CODE
			DRAWING NO
			RESTRICTED TO
			SCALE
			SHEET
			OF
			REV
			B