




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	P	EC 0G3C 0659 04	24JAN05	BSV RB



- 1 HOUSING: PBT, UL 94V-0 RATED, COLOR-BLACK  
CONTACTS: COPPER ALLOY PER ASTM B103
- 2 MOLDED CIRCUIT #1 IDENTIFIER IN LOCATION SHOWN.
- 3 0.00076[.000030] MIN GOLD IN CONTACT AREA, 0.00127-0.00254[.000050-.000100] TIN-LEAD IN AREA E, ALL OVER 0.00127[.000050] MIN NICKEL.
- 4 0.00076 [.000030] MIN GOLD IN CONTACT AREA, 0.00127-0.00254 [.000050-.000100] TIN IN AREA E, ALL OVER 0.00127[.000050] MIN NICKEL
- 5 USE WITH #26-#22 AWG WIRE SIZE, .050 MAX INSULATION DIA., .015 MAX INSULATION WALL THICKNESS.
- 6 CONTACT IDENTIFICATION NUMBER "5" LOCATED IN THIS AREA.
- 7 AMP TRADEMARK (EITHER SIDE).
- 8 ROHS 2002 /95/EC COMPLIANT

8 4	68.58 [2.700]	26	54	5-102694-9
8 4	25.40 [1.000]	9	20	5-102694-8
8 4	22.86 [.900]	8	18	5-102694-7
8 4	20.32 [.800]	7	16	5-102694-6
8 4	17.78 [.700]	6	14	5-102694-5
8 4	15.24 [.600]	5	12	5-102694-4
8 4	10.16 [.400]	3	8	5-102694-2
8 4	7.62 [.300]	2	6	5-102694-1
8 4	12.70 [.500]	4	10	1-102694-0
3	68.58 [2.700]	26	54	102694-9
3	25.40 [1.000]	9	20	102694-8
3	22.86 [.900]	8	18	102694-7
3	20.32 [.800]	7	16	102694-6
3	17.78 [.700]	6	14	102694-5
3	15.24 [.600]	5	12	102694-4
3	12.70 [.500]	4	10	102694-3
3	10.16 [.400]	3	8	102694-2
3	7.62 [.300]	2	6	102694-1
FINISH	B	A	NO. OF POSN	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. SHUEY 12-30-91	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm [INCHES]		CHK M. RIDER 1-6-92		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. RIDER 1-6-92	NAME	
0 PLC ± -		PRODUCT SPEC	AMPMODU MT, RCPT ASSY, HIGH PRESSURE CONTACTS FOR 22-26 AWG WIRE SIZE	
1 PLC ± -		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
2 PLC ± 0.13[.005]		108-25018	A2 00779 C=102694	
3 PLC ± -		114-25032	SCALE 4:1 SHEET 1 OF 1 REV P	
4 PLC ± -		WEIGHT -		
ANGLES ± -		CUSTOMER DRAWING		
FINISH		SEE TABLE		