




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION .19
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		0 DRAWN	3/6/95	TH	GD
		A EC.0010-0436-95	8/1/95	TH	GD
		B EC.0010-0992-95	8/1/95	TH	GD
		C EC.0010-1181-95	11/6/95	TH	GD
		D EC.0430-0023-96	10/8/96	RB	GD
		E REV PER OG21-0244-98	30NOV99	BH	JG
		F REV PER OG3C-0249-99	03FEB99	BH	JG



- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
- TRUE POSITION TOLERANCE OF THE POSTS TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
- THE NOTED DIMENSION APPLIES AT THE INTERSECTION OF THE POST AND HOUSING.
- FINISH: 0.000127 [0.000005] GOLD ON CONTACT AREA, 0.00254-0.00508 [0.000100-.000200] TIN-LEAD ON SOLDER TAIL ALL OVER 0.00127 [0.000050] NICKEL.

9.75 [0.384]	7.62 [0.300]	3	8	8	146221-2
7.21 [0.284]	5.08 [0.200]	2	6	6	146221-1
C	B	A	NO. OF ACTIVE POSN.	NO. OF POSN.	ASSEMBLY PART NUMBER

RECOMMENDED HOLE LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN T. HOFFMAN 3/6/95	AMP Incorporated Harrisburg, PA 17105-3608
DIMENSIONS: mm		CHK G.DUBNICZKI 3/15/95	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.13(.005) 3 PLC ±- 4 PLC ±- ANGLES ±0°30'		APVD G.DUBNICZKI 3/15/95	NAME G.DUBNICZKI
MATERIAL: HOUSING: FLAME RETARDANT THERMOPLASTIC, COLOR: BLACK POST: PHOSPHOR BRONZE		PRODUCT SPEC -	APPLICATION SPEC -
FINISH △		WEIGHT -	SIZE A2
		CUSTOMER DRAWING	CAGE CODE 00779
			DRAWING NO. C-146221
			SCALE 4:1
			SHEET 1 OF 1
			REV F

146221