




DRAWING MADE IN THIRD ANGLE PROJECTION  
 THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENTS AND/OR PATENTS PENDING.

MOD	LOC	DIST	P	F	ZONE	LTR	DESCRIPTION	DATE	APPD
27	AD	39				R	REV & REDWN ECN'S 1413 & 1575	-	-
						S	REV ECN 1785	1-88-88	HM
						T	REV ECN AR1925	10-19-88	DLR
						U	REV PER ECN AR2031	5-2-89	JPG
						V	REV PER ECN AR2702	9-26-89	SMH
						W	REV LOC & DIST AD-4171	3-90	BF
						Y	REV PER AD-5123	1-25-91	-
						Z	REV PER 0010-0700-93	8-7-93	SAS
						AA	REV PER 0010-1103-93	3-16-94	SAS
						AB	REV PER 0310-0048-97	7-10-97	JLH
						AC	REV PER 0310-0250-97	7-10-97	JLH



- ① THESE SURFACES WILL NOT BE PLATED
- ② THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND THE HOUSING
- ③ POINT OF MEASUREMENT FOR PLATING THICKNESS



KEYWAY LOCATIONS (REF-SEE TABLE)  
 (MATING LENGTH OF POST ON NEAR SIDE)  
 SCALE: 2:1

OBSOLETE	-	0	5.415	5.304	34	35	3-85923-5
OBSOLETE	-	0	5.259	5.148	33	34	3-85923-4
OBSOLETE	-	0	5.103	4.992	32	33	3-85923-3
OBSOLETE	-	0	4.947	4.836	31	32	3-85923-2
OBSOLETE	-	0	4.791	4.680	30	31	3-85923-1
OBSOLETE	-	0	4.635	4.524	29	30	3-85923-0
OBSOLETE	-	0	4.479	4.368	28	29	2-85923-9
OBSOLETE	-	0	4.323	4.212	27	28	2-85923-8
OBSOLETE	-	0	4.167	4.056	26	27	2-85923-7
OBSOLETE	-	0	4.011	3.900	25	26	2-85923-6
A, C, E, H, K, M, Q, S, U, W, Y	11	3.855	3.744	24	25	2-85923-5	
A, C, E, G, J, L, N, Q, S, U, W, Y	12	3.699	3.588	23	24	2-85923-4	
A, D, G, K, N, R, U, X	8	3.543	3.432	22	23	2-85923-3	
A, C, E, G, J, L, N, Q, S, U, W	11	3.387	3.276	21	22	2-85923-2	
A, D, G, K, N, R, U	7	3.231	3.120	20	21	2-85923-1	
A, C, E, G, J, L, N, Q, S, U	10	3.075	2.964	19	20	2-85923-0	
B, D, F, J, L, N, Q, S	8	2.919	2.808	18	19	1-85923-9	
A, D, F, J, M, P, S	7	2.763	2.652	17	18	1-85923-8	
A, D, G, K, N, R	6	2.607	2.496	16	17	1-85923-7	
A, C, E, G, J, L, N, Q	8	2.451	2.340	15	16	1-85923-6	
A, D, G, K, N	5	2.295	2.184	14	15	1-85923-5	
A, C, E, G, J, L, N	7	2.139	2.028	13	14	1-85923-4	
A, D, J, M	4	1.983	1.872	12	13	1-85923-3	
A, C, E, G, J, L	6	1.827	1.716	11	12	1-85923-2	
A, D, G, K	4	1.671	1.560	10	11	1-85923-1	
A, C, E, G, J	5	1.515	1.404	9	10	1-85923-0	
A, D, G	3	1.359	1.248	8	9	85923-9	
A, C, E, G	4	1.203	1.092	7	8	85923-8	
A, C, E	3	1.047	.936	6	7	85923-7	
A, C, E	3	.891	.780	5	6	85923-6	
A, D	2	.735	.624	4	5	85923-5	
A, C	2	.579	.468	3	4	85923-4	
A	1	.423	.312	2	3	85923-3	
A	1	.267	.156	1	2	85923-2	
-	0	.111	-	1	1	85923-1	
KEYWAY LOCATIONS	NO OF KEYWAY	C	B	A	NO OF POSN	ASSEMBLY PART NUMBER	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON:	DR 6-25-87 L A MAYER	AMP INCORPORATED Harrisburg, Pa. 17105
2 PL DEC ± .005 3 PL DEC ± .005 ANGLES ± .	CHK 7-13-87 E HUBBEN	
MATERIAL HOUSING - FLAME RETARDANT THERMOPLASTIC, COLOR - BLACK	APPD 7-13-87 E HUBBEN	
POSTS - BRASS FINISH POSTS: .000030 GOLD IN CONTACT AREA GOLD FLASH ON REMAINDER OF POST ALL OVER .000050 NICKEL	APPD 7-13-87 J SCHIEFER	NAME <b>HEADER ASSEMBLY, MOD I,          VERTICAL, SINGLE ROW,          .156¢</b>
	PRODUCT SPEC 108-25016	SIZE <b>D</b> FSCM NO 00779 DRAWING NO 85923
	APPLICATION SPEC -	SCALE 4:1 SHEET 1 OF 1
	WEIGHT -	CUSTOMER DRAWING