



1. PARTS COMPLY WITH AMP SOLDERABILITY SPEC. NO. 109-11-3

CONTACT IS PLATED OVERALL WITH .000050 NICKEL, THEN .000030 GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.

ASSEMBLY NO.	HSG. MATL.	COLOR	FIN MATL.	FINISH
350220-2	NYLON	NATURAL	COPPER ALLOY	GOLD/A
350220-1	NYLON - NATURAL		COPPER ALLOY - PRE-TIN	

DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED

REV.	DESCRIPTION	BY	CHK	DATE
K	RESTORED	RS	RS	6/21/87
K	REV. PER M-7375	RS	RS	8-27-86
J	REV. PER M-7285	MS	DH	2/1/85
H	ADDED NOTE 2, M-6699	MS	DH	3-27-84
G	REV. TRAIL LENGTH M-5334	MS	DH	6-24-83
F	REVISED M-4161	MF	DH	3-27-82
E	ECN M-3871	PCN	DH	8-76
D	ECN M-3652	GV	PRE	11/76
C	ECN M-3156	BL	PCN	12/74
B	REDRAWN ADDED CLAWS	MS	PCN	10/74
A	REVISED	MS	PCN	10/74

<p>REQUIRED PER ASSEMBLY</p>	<p>DATE: 6-27-73</p> <p>NAME: 9. Eshman</p> <p>REMARKS: SEE TABLE</p>	<p>CUSTOMER COPY REFERENCE ONLY</p> <p>AMP INCORPORATED</p>
<p>DESCRIPTION</p>	<p>MATERIAL AND FINISH: SEE TABLE</p> <p>WIRE - RANGE - INSULATION: SEE TABLE</p> <p>TOLERANCE EXCEPT AS NOTED: SEE TABLE</p> <p>SCALE: SEE TABLE</p> <p>LOC: CM B</p> <p>REV: 350220</p> <p>NAME: 12 CIRCUIT MATE-N-LOK P.C. BOARD PIN HEADER</p>	<p>AMP INCORPORATED</p> <p>CLASS: H</p> <p>TYPE: H</p> <p>REV: M</p>