


S

1. PARTS COMPLY WITH AMP SOLDERABILITY SPEC. 109-113
 △ CONTACT IS PLATED OVERALL WITH .00050 NICKEL, THEN .00050 GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.



350214 - 2	NYLON	NATURAL COPPER ALLOY	△ GOLD
350214 - 1	NYLON	NATURAL COPPER ALLOY	PRE-TIN
ASSEMBLY NO.	HSG. MATL.	COLOR	PIN MATL. FINISH

DIMENSIONS IN INCHES. DO NOT SCALE PRINT.

350214	REVISION RECORD	OR	DATE
P	085 1-1 + 2-1 PER CM 2213	TB	RS 3/20/73

REQUIRED PER ASSEMBLY
DESCRIPTION

© 1973 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.	CUSTOMER COPY REFERENCE ONLY AMP AMP INCORPORATED HARRISBURG, PENNA.
DR. <i>[Signature]</i> 3/20/73 CHK. <i>[Signature]</i> 3/20/73 ENR. <i>[Signature]</i> 3/20/73	MATERIAL AND FINISH SEE TABLE
WIRE - RANGE - INSULATION TOLERANCE EXCEPT AS NOTED NAME 16 CIRCUIT MATE-N-LOK P.C. BOARD HEADER	TYPE PIN HEADER CLASS LCC CM B NS 350214 R/P P

AMP 1242 REV 11/68