


TOLERANCES
UNLESS OTHERWISE SPECIFIED : ±5 , ANGLE ±5°



CAT. NO.	NO. OF CONTACT (n)	A	B	C
BTFN6S-3SSTE1	6	32	28.4	36.4
BTFN8S-3SSTE1	8	32	28.4	36.4
BTFN10S-3SSTE1	10	32	28.4	36.4
BTFN12S-3SSTE1	12	32	28.4	36.4

- NOTES
1. THIS IS PLASTIC TAPE PACKAGED CONNECTOR COPES WITH AUTOMATIC MOUNTING (SMT).
 2. SEE JIS C 0806 (PACKING OF ELECTRONIC COMPONENTS ON CONTINUOUS TAPES (SURFACE MOUNTING DEVICES)) FOR SHAPE AND DIMENSIONS OF PLASTIC (EMBOSS) TAPE AND REEL.
 3. C DIMENSION IS PORTION OF THE CORE.

PT. NO.	PARTS NAME	CAT. NO.	MATERIAL	Q. TY	NOTE
1	REEL		CARDBOARD	1	COLOR : WHITE
2	PLASTIC (EMBOSS) TAPE		PET RESIN		COLOR : TRANSPARENCY
3	COVER		POLYESTER		COLOR : TRANSPARENCY
4	RECEPTACLE CONNECTOR	BTFN...S-3SST	REFER TO JSC 92195	800	

SCALE \times			DESIGNED M.Koga	PLASTIC TAPE PACKAGED RECEPTACLE CONNECTOR (SMALL SIZE)	
DIM. IN mm			DRAWN M.Iituka	CAT. NO. BTFN...S-3SSTE1	
MATERIAL			CHECKED M.Koga	DRAWING NO. JSC 92061	REV. 2
REV. DATE DESCRIPTION CKD.			APPROVED A.NAKAI	FRAMATOME CONNECTORS JAPAN LTD.	
REFERENCE			DATE Feb. 26, 1993	FCI	